arXiv:physics/0703114v3 [physics.optics] 8 Feb 2008

Rovibronic energy levels for triplet electronic states of molecular deuterium

B. P. Lavrov[1,*] and I. S. Umrikhin[1]

[1] *Faculty of Physics, St.-Petersburg State University,*
St.-Petersburg, 198904, Russia

An optimal set of 1050 rovibronic energy levels for 35 triplet electronic states of D_2 has been obtained by means of a statistical analysis of all available wavenumbers of triplet-triplet rovibronic transitions studied in emission, absorption, laser and anti-crossing spectroscopic experiments of various authors. We used a new method of the analysis (Lavrov, Ryazanov, JETP Letters, 2005), which does not need any *a priori* assumptions concerning the molecular structure being based on only two fundamental principles: maximum likelihood and Rydberg-Ritz. The method provides the opportunity to obtain the estimation of uncertainties of experimental wavenumbers independent from those presented in the original papers. 234 from 3822 published wavenumber values were found to be spurious, while the remaining set of the data may be divided into 19 subsets of uniformly precise data having close to normal distributions of random errors within the subsets. New wavenumber values of 125 questionable lines were measured in the present work (20-th subset). Optimal values of the rovibronic levels were obtained from the experimental data set consisting of 3713 wavenumber values (3588 old and 125 new). The unknown shift between levels of ortho- and para- deuterium was found by least squares analysis of the $a^3\Sigma_g^+$, $v = 0$, $N = 0 \div 18$ rovibronic levels with odd and even values of N. All the energy levels were obtained relative to the lowest vibro-rotational level ($v = 0$, $N = 0$) of the $a^3\Sigma_g^+$ electronic state and presented in tabular form together with standard deviations (SD) of the semi-empirical determination. New energy level values differ significantly from those available in literature.

---

*Electronic address: lavrov@pobox.spbu.ru

Introduction

It is well known that diatomic hydrogen, being the simplest neutral molecule, has a most sophisticated emission spectrum. The hydrogen band spectrum, caused by spontaneous emission due to electronic-vibro-rotational (rovibronic) transitions, does not show a visible, easily recognizable band structure, but has the appearance of a multiline atomic spectra. The peculiarity of molecular hydrogen and its isotopic species - abnormally small nuclear masses - leads to high values of vibrational and rotational constants and large separation between vibrational and rotational levels of various excited electronic states. As a result, various rovibronic spectral lines belonging to different branches, bands and band systems are located in the same spectral regions, leading to the overlap of various band systems, bands and branches, as well as the mixing of rovibronic spectral lines having different origins. The small nuclear masses stimulate a breakdown of the Born-Oppenheimer approximation due to electronic-vibrational and electronic-rotational perturbations having both regular and irregular character; this combination seriously complicates the interpretation of the spectra of hydrogen isotopomers and the unambiguous identification of rovibronic spectral lines. Symmetry rules for permutation of identical nuclei in homonuclear isotopomers (H_2,D_2 and T_2) cause the known effect of the intensity alternation of neighbouring lines within the rotational structure of bands due to the alternation in degeneracy of successive rotational levels with odd and even values of rotational quantum number (e.g. 1:2 in the case of D_2). This effect also masks the visible structure of branches resulting in serious additional difficulties for identification of rovibronic spectral lines. Thus, most of the lines in the optical spectra of hydrogen isotopomers have not yet been assigned in spite of tremendous efforts by spectroscopists over the previous century [1, 2, 3, 4]. As an example, in the latest compilation of experimental data for molecular deuterium D_2 [4], the working list of 27488 measured lines contains only 8243 assignments. These assignments were obtained by traditional methods of analysis using wavenumber combination differences (method of common differences) and Dunham series expansions [1, 3], sometimes together with comparison of molecular constants obtained for different isotopic species [2]. Later the results of *ab initio* and semi-empirical calculations were taken into account [4].

Currently, available information concerning triplet rovibronic energy level values of D_2 molecule exists in the form of the list of molecular constants for Dunham expansions in the

NIST database [5], and tables of rovibronic levels obtained in Ref. [4].

In the case of the hydrogen molecule the Dunham coefficients are known to provide a very poor description of the rovibronic energy level values [6]. The data reported in Ref. [4], in general, give a rather good description of the D_2 spectrum (about 0.05 cm^{-1}), but they are also not free from criticism. The method of the analysis used in Ref. [4] is based on the common use of the combination differences, some selected wavenumbers for certain transitions and one by one multistage treating of separate branches, bands and band systems. The sequence of the steps chosen in Ref. [4] is not the only possible analytical arrangement. Therefore, the data thus obtained can not be considered as an optimal set of levels providing the best description of observed wavenumber values. It should also be mentioned that after publication of Ref. [4], new experimental data on the wavenumbers appeared [7, 8].

Recently, a new method of statistical analysis of the rovibronic transition wavenumbers has been proposed [9] and successfully applied for the derivation of rovibronic level values of the singlet states of the BH molecule [10] and some triplet states of H_2 [12]. The method is based on only two fundamental principles: Rydberg-Ritz and maximum likelihood. This approach differs from known techniques in several aspects: 1) does not need any assumptions concerning an internal structure of a molecule; 2) no intermediate parameters, such as molecular constants used in the traditional approach, are used; 3)a one-stage optimization procedure can be used for all available experimental data obtained for various band systems, by various methods and authors, and in various works; 4) provides the opportunity of a rational selection of the experimental data in an interactive mode (thus allowing the user the option to eliminate obvious errors, to revise incorrect line identifications, and to compare various sets of experimental data for mutual consistency); 5) gives an opportunity of independent estimation of experimental errors by means of the analysis of the shape of error distributions; 6) provides an optimal set of rovibronic level values as well as the uncertainties of their determination (standard deviations SD) caused only by the quantity and quality of existing experimental data [11].

The goal of the present paper is to report the results of applying the new method [9] for statistical analysis of the rovibronic spectral line wavenumbers of triplet band systems and the determination of the optimal set of rovibronic energy levels for all known 35 triplet electronic states of molecular deuterium: $a^3\Sigma_g^+$, $c^3\Pi_u^+$, $c^3\Pi_u^-$, $d^3\Pi_u^+$, $d^3\Pi_u^-$, $e^3\Sigma_u^+$, $f^3\Sigma_u^+$, $g^3\Sigma_g^+$, $h^3\Sigma_u^+$, $i^3\Pi_g^+$, $i^3\Pi_g^-$, $j^3\Delta_g^+$, $j^3\Delta_g^-$, $k^3\Pi_u^+$, $k^3\Pi_u^-$, $n^3\Pi_u^+$, $n^3\Pi_u^-$, $p^3\Sigma_g^+$, $q^3\Sigma_g^+$, $r^3\Pi_g^+$, $r^3\Pi_g^-$,

$s^3\Delta_g^+$, $s^3\Delta_g^-$, $u^3\Pi_u^+$, $u^3\Pi_u^-$, $(7p)^3\Pi_u^+$, $(7p)^3\Pi_u^-$, $(8p)^3\Pi_u^+$, $(8p)^3\Pi_u^-$, $(9p)^3\Pi_u^+$, $(9p)^3\Pi_u^-$, $(6d)^3\Sigma_g^+$, $(7d)^3\Sigma_g^+$, $(8d)^3\Sigma_g^+$ and $(9d)^3\Sigma_g^+$.

The method of analysis and determination of optimal set of rovibronic energy levels

The method of assessment is based on the minimization of the weighted mean-square deviation between observed $\nu_{n'v'N'}^{n''v''N''}$ and calculated (as differences of adjustable energy levels $E_{n''v''N''}$, $E_{n'v'N'}$) values of rovibronic line wavenumbers, or the sum

$$r^2 = \sum_{\nu_{n'v'N'}^{n''v''N''}} \left[\frac{(E_{n''v''N''} - E_{n'v'N'}) - \nu_{n'v'N'}^{n''v''N''}}{\sigma_{\nu_{n'v'N'}^{n''v''N''}}} \right]^2 , \qquad (1)$$

where n denotes the electronic state, v is the vibrational quantum number, and N is the rotational quantum number of total angular momentum of a molecule excluding spins of electrons and nuclei. Upper and lower rovibronic levels are marked by double and single primes, respectively. The values $\sigma_{\nu_{n'v'N'}^{n''v''N''}}$ are experimental root-mean-square (RMS) errors (one SD), and the summation is over all inputed experimental data. The $\nu_{n'v'N'}^{n''v''N''}$ and $\sigma_{\nu_{n'v'N'}^{n''v''N''}}$ values are the input data, while the optimal set of energy levels E_{nvN} and the calculated standard deviations of their determination $\sigma_{E_{nvN}}$ are output data from the computer code. Due to the linearity of the equations used, the optimization problem reduces to the solution of a system of linear algebraic equations [9].

It should be stressed, that for a realization of the method it is necessary to know the proper estimation of the SD for every experimental datum, or be able to divide the whole data set into a finite number of groups (subsets, samples) of data measured with the same precision. Then all data belonging to each subset may be characterized by a certain common value of SD. In the present study we assumed that systematic errors are eliminated (except occasional spurious data), and random errors should possess the normal (Gaussian) distribution function.

The method requires the known RMS errors of the wavenumbers in the process of determination the optimal level values for three purposes. Firstly, weightening of the input data depends on these values. Secondly, the rational selection of input data is based on a comparison of an experimental RMS uncertainty (common for a sample of data under the study) with differences between experimental wavenumbers of the lines (included into this sample) and those calculated from the optimal values of the energy levels . Finally, estimates of uncertainties of the optimal level values, $\sigma_{E_{nvN}}$ are calculated by taking into account the input wavenumber RMS errors σ_ν.

Unfortunately only a few original works with experimental wavenumber data contain information on the accuracy of the listed values. And even in these cases the error estimations are of uncertain reliability. Therefore, it was necessary to obtain independent estimates of the wavenumber errors σ_ν. Our method provides the opportunity to obtain the estimates of uncertainties of experimental wavenumbers independent from those presented in the original papers.

Statistical analysis

The method of analysis consists of analyzing the distribution function $F(\xi)$ of the variable

$$\xi^{n''v''N''}_{n'v'N'} = \frac{\nu^{n''v''N''}_{n'v'N'} - (\tilde{E}_{n''v''N''} - \tilde{E}_{n'v'N'})}{\sigma_{\nu^{n''v''N''}_{n'v'N'}}}. \tag{2}$$

Energy level values $\tilde{E}_{n''v''N''}$ and $\tilde{E}_{n'v'N'}$ are obtained by the minimization of Eq.(1) without using the $\nu^{n''v''N''}_{n'v'N'}$ wavenumber value. In favorable cases this distribution should be close to the normal distribution with an average value equal to zero and variance equal to unity, namely

$$F_0(\xi) = \frac{1}{\sqrt{2\pi}} \int\limits_{-\infty}^{\xi} e^{-\frac{x^2}{2}} dx. \tag{3}$$

The analysis of the shape of the distribution function $F(\xi)$ for various groups (samples) of experimental data provides an opportunity to estimate the RMS errors of experimental data reported in various works by the rational selection of experimental data and determination of proper values of experimental uncertainties $\sigma_{\nu^{n''v''N''}_{n'v'N'}}$. Experimental data which have shown unreasonably large deviations (ξ larger then 3) were excluded as spurious results. Then the value of an experimental RMS uncertainty (unique for all lines belonging to the same sample) was adjusted in such a way that the distribution function $F(\xi)$ of a certain sample becomes close to the normal distribution function represented by Eq.(3).

All available values of rovibronic transition wavenumbers studied in emission, absorption, laser and anticrossing spectroscopic experiments of various authors were analyzed [4, 7, 8, 13, 14, 15, 16, 17] . Fine and hyperfine structures of rotational levels were ignored. In the case of resolved and partly resolved fine structure, the wavenumber of the strongest component was used.

The statistical analysis of the 3822 published wavenumber values has shown that 234 experimental data (for 228 spectral lines) should be excluded from further consideration as being spurious. The list of spurious data is presented in Table II. The remaining set of 3588 wavenumber values could be divided into 19 subsets (samples) of uniformly precise data having close to the normal distribution functions for random experimental errors. All the wavenumber data within each sample may be characterized by the same value of the RMS uncertainty (one SD). The uncertainty estimates obtained in the present paper for various bands Are shown in Table I.

Experimental determination of wavenumbers for questionable lines

135 of the 228 questionable lines are located within the wavelength range available for us (430-730 nm). Therefore we decided to provide an independent experimental determination of their wavenumbers. For that purpose we used the emission spectra of D_2 obtained during our previous studies of translational and rotational temperatures in hydrogen and deuterium containing plasmas [18]. A detailed description of the experimental setup has been reported elsewhere [19]. Capillary arc discharge lamps DDS-30 described in Ref. [20] have been used as light sources. They were filled with about 6 Torr of spectroscopically pure $D_2 + H_2$ (9:1) mixture. The range of the discharge current was from 50 to 300 mA (current densities $j = 1.6 \div 10\ A/cm^2$). Light from the axis of the plasma inside the capillary was directly focused by an achromatic lens on the entrance slit of the Czerny-Turner type 1 m double monochromator (Jobin Yvon, U1000). The intensity distribution in the focal plane of the spectrometer was recorded by a cooled CCD matrix detector of the Optical Multichannel Analyser (Princeton Appl. Res., OMA-Vision-CCD System).

Assignments and wavelength values from Ref. [4] were used for identification of D_2 spectral lines in the spectrum. These values show a certain spread around monotonic dependence of the wavenumber from the distance along the direction of dispersion in the focal plane of the spectrograph. For the majority of strong, unblended lines, this scatter was within the error bars of 0.05 cm^{-1} reported in Ref. [4].

Assuming the dispersion of the spectrograph to be a monotonic function of the coordinate in the focal plane of the spectrograph, new wavenumber values for 125 of the questionable spectral lines were obtained by polynomial approximation of the dispersion curve. The new data thus obtained are listed in Table III together with the data reported earlier. One may see that new experimental wavenumber values are significantly different from those from the literature. Moreover, our data are in much better agreement with Rydberg-Ritz combination principle. The intensities of the remaining 10 questionable lines were too weak to be detectable in the experimental conditions.

Statistical analysis of the deviations given by Eq.(2) have shown that the 125 new wavenumber values represent the sample of the experimental data with the distribution function $F(\xi)$ close to normal distribution, corresponding to the value of standard deviation $\sigma_\nu = 0.06$ cm^{-1} common for all 125 lines. Such a relatively high value of the experimental uncertainty arises because most of questionable lines are quite weak and are partly blended with stronger lines. Nevertheless, our new data are in better agreement with the optimal set of energy levels, obtained by the minimization of Eq.(1) with the input data set in which 234 spurious wavenumber values were omitted, and the 125 new experimental data are included. Thus, new experimental data obtained in the present work are in good agreement with the wavenumbers of all other lines referencing the initial and final rovibronic levels of those questionable lines.

Results

Optimal values of 1050 triplet rovibronic energy levels of D_2 have been obtained by the minimization of Eq.(1) with the input experimental data set consisting of 3713 wavenumber values (3588 old and 125 new). The unknown shift between levels of ortho- and para-deuterium was obtained by least squares analysis of the $a^3\Sigma_g^+$, $v = 0$, $N = 0$ - 18 levels with odd and even values of the rotational quantum number N. All the energy levels were obtained relative to the lowest vibro-rotational level ($v = 0$, $N = 0$) of the $a^3\Sigma_g^+$ state and presented in Table IV together with the SD of the semi-empirical determination. Absolute values of the triplet rovibronic levels relative to the $X^1\Sigma_g^+$, $v = 0$, $N = 0$ ground rovibronic state of D_2 may be obtained by adding the difference $(E_{a00} - E_{X00}) = 95348,22$ cm $^{-1}$ from Ref. [4] to our level values.

Energy level values obtained in the present work are now incorporated into the database of the Atomic and Molecular (A+M) Data Unit of the International Atomic Energy Agency (IAEA).

Conclusion

A detailed comparison of the optimal set of rovibronic levels with the data reported in Ref. [4, 5] will be presented in a separate paper (see also [21]).

Most of the differences between our data and those from Ref. [4] are less than 0.05 cm^{-1}, the values reported in Ref.[4] as an estimation of the one standard deviation uncertainty of the energy levels. On the other hand, most of those differences are sufficiently larger than the SD of our data, which normally are within the range of $0.004 \div 0.03$ cm^{-1} and depend on the value of the rotational and vibrational quantum numbers. Therefore, the deviations of the data obtained in Ref.[4] from our optimal level values are significant.

Thus, the optimizational approach to the problem allows us to obtain significantly higher precision in derivation of the energy level values from measured wavenumbers of rovibronic spectral lines of D_2 molecule.

Acknowledgments

The authors are indebted to Prof. S. Ross for providing the electronic version of the wavelength tables for lines of the D_2 emission spectrum measured and assigned by G.H. Dieke and co-workers (Appendix C. from Ref.[4]), and to Mr. M.S. Ryazanov for development of the computer code and helpful discussions. We also acknowledge financial support from the Russian Foundation for Basic Research (the Grant #06-03-32663a). BPL is thankful to Dr. R.E.H. Clark, Dr. A. Nichols and Mr. D. Humbert for useful discussions, and to the A+M Data Unit of IAEA for financial support of his visits and hospitality.

---

[1] Richardson O.W. Molecular Hydrogen and Its Spectrum, Yale Univ. Press, New Haven, 1934.

[2] Dieke G.H. J. Mol. Spectrsc. 1958. V. 2, P. 494-517

[3] The Hydrogen Molecule Wavelength Tables of G.H.Dieke. / Ed. by H.M.Crosswhite. N.Y.: Wiley, 1972. P. 616

[4] Freund R.S., Schiavone J.A., Crosswhite H.M. J. Phys. Chem. Ref. Data. 1985. V. 14. P. 235.

[5] http://webbook.nist.gov/

[6] Lavrov B.P., Prosikhin V.P., Ustimov V.I., Sov. Phys. J. (UK). 1986. V. 29, N. 2, P. 137-140

[7] Dabrowski I., Herzberg G. Acta Phys. Hung. 1984. V. 55. P. 219

[8] Davies P.B., Guest M.A., Johnson S.A. J. Chem. Phys. 1988. V. 88. P. 2884.

[9] Lavrov B.P, Ryazanov M.R., JETP Letters. 2005. V. 81. P. 371

[10] Lavrov B.P., Ryazanov M.S. Tables of rovibronic term values for singlet electronic states of $^{11}B^1H$ molecule // physics/0504044 at http://arXiv.org.

[11] Lavrov B.P, Ryazanov M.R., Opt. Spektrosc. 2005. V. 99. P. 890

[12] Astashkevich S.A., Lavrov B.P., Modin A.V., Umrikhin I.S. 2008 *Russian Journal of Physical Chemistry B* **2** 16-31

[13] Dieke G.H., Blue R.W. Phys. Rev. 1935. V. 47, P. 261.

[14] Dieke G.H. Phys. Rev. 1935. V. 48, P. 606.

[15] Gloersen P., Dieke G.H. J. Mol. Spectrosc. 1965. V. 16. P. 191.

[16] Porto S.P.S., Dieke G.H. J. Opt. Soc. Am. 1955. V. 45. P. 447.

[17] Freund R.S., Miller T.A., Zegarski B.R. J. Chem. Phys. 1976. V. 64. P. 4096.

[18] Lavrov B.P., Käning M., Ovtchinnikov V.L., Röpcke J., International Workshop "Frontiers in Low Temperature Plasma Diagnostics II" Bad Honnef (Germany), Papers, 1997, P. 169-172

[19] Astashkevich S.A., Käning M., Käning E., Kokina N.V., Lavrov B.P., Ohl A., Röpcke J., JQSRT, 1996, V. 56, P. 725-751

[20] Lavrov B.P., Tyutchev M.V., Sov. J. Opt. Technol., 1982, V. 49, P. 741-743

[21] Lavrov B.P., Umrikhin I.S. Optimal values of rovibronic energy levels for triplet electronic states of molecular deuterium. // physics/0801.3956 at http://arXiv.org.

TABLE I: RMS uncertainties σ of experimental wavenumbers of rovibronic lines for the (v'-v") bands of various electronic transitions of D_2 molecule obtained in the present work by pure statistical analysis independent from the estimates reported in original experimental papers. Standard deviations for the uncertainties are shown in brackets in units of last significant digit.

Electron transition	Band	σ, cm^{-1}	Electron transition	Band	σ, cm^{-1}
$c^3\Pi_u - a^3\Sigma_g^+$	3 - 0	0.076(7)	$d^3\Pi_u - a^3\Sigma_g^+$	7 - 5	0.0245(5)
$a^3\Sigma_g^+ - c^3\Pi_u$	3 - 0	0.076(7)		7 - 6	0.0072(3)
	4 - 1	0.052(3)		7 - 7	0.0245(5)
	4 - 2	0.0245(5)		7 - 8	0.052(3)
	5 - 3	0.052(3)		7 - 9	0.052(3)
$d^3\Pi_u - a^3\Sigma_g^+$	0 - 0	0.0154(3)		8 - 5	0.09(1)
	0 - 1	0.0154(3)		8 - 6	0.0072(3)
	0 - 2	0.052(3)		8 - 7	0.0245(5)
	1 - 0	0.0154(3)		8 - 8	0.12(3)
	1 - 1	0.0154(3)		8 - 9	0.0072(3)
	1 - 2	0.0154(3)		8 - 10	0.052(3)
	1 - 3	0.0072(3)		9 - 7	0.10(2)
	2 - 0	0.0154(3)		9 - 8	0.09(1)
	2 - 1	0.0072(3)		9 - 9	0.052(3)
	2 - 2	0.0154(3)		9 - 10	0.052(3)
	2 - 3	0.0154(3)		10 - 8	0.052(3)
	2 - 4	0.0154(3)		10 - 9	0.052(3)
	3 - 1	0.035(1)	$e^3\Sigma_u^+ - a^3\Sigma_g^+$	0 - 0	0.0154(3)
	3 - 2	0.0154(3)		0 - 1	0.0154(3)
	3 - 3	0.0154(3)		1 - 0	0.0154(3)
	3 - 4	0.0245(5)		1 - 1	0.0072(3)
	3 - 5	0.0154(3)		1 - 2	0.035(1)
	4 - 2	0.0154(3)		1 - 4	0.052(3)
	4 - 3	0.0154(3)		2 - 0	0.035(1)
	4 - 4	0.0245(5)		2 - 1	0.0154(3)
	4 - 5	0.0154(3)		2 - 2	0.0245(5)
	4 - 6	0.044(2)		2 - 3	0.035(1)
	5 - 2	0.0245(5)		3 - 0	0.0154(3)
	5 - 3	0.0072(3)		3 - 1	0.0072(3)
	5 - 4	0.0154(3)		3 - 2	0.0072(3)
	5 - 5	0.0245(5)		3 - 3	0.0154(3)
	5 - 6	0.0072(3)		3 - 4	0.0245(5)
	5 - 7	0.035(1)		3 - 6	0.063(5)
	5 - 8	0.12(3)		3 - 7	0.09(1)
	6 - 3	0.0154(3)		4 - 0	0.0072(3)
	6 - 4	0.0245(5)		4 - 1	0.0154(3)
	6 - 5	0.0072(3)		4 - 2	0.0154(3)
	6 - 6	0.0154(3)		4 - 3	0.0072(3)
	6 - 7	0.0072(3)		4 - 4	0.0154(3)
	6 - 8	0.0072(3)		4 - 5	0.0154(3)
	7 - 4	0.0245(5)		4 - 7	0.035(1)

Table I. (Continued.)

Electron transition	Band	σ, cm^{-1}	Electron transition	Band	σ, cm^{-1}
$e^3\Sigma_u^+ - a^3\Sigma_g^+$	4 - 8	0.052(3)	$f^3\Sigma_u^+ - a^3\Sigma_g^+$	1 - 0	0.0154(3)
	5 - 1	0.035(1)		1 - 1	0.0154(3)
	5 - 2	0.0154(3)		1 - 2	0.0245(5)
	5 - 3	0.0072(3)		2 - 0	0.0245(5)
	5 - 4	0.0072(3)		2 - 1	0.0245(5)
	5 - 6	0.0154(3)		2 - 2	0.0154(3)
	5 - 8	0.063(5)		2 - 3	0.0154(3)
	6 - 1	0.0245(5)	$g^3\Sigma_g^+ - c^3\Pi_u$	0 - 0	0.0245(5)
	6 - 2	0.0245(5)		0 - 1	0.063(5)
	6 - 3	0.0154(3)		1 - 0	0.076(7)
	6 - 4	0.0154(3)		1 - 1	0.0154(3)
	6 - 5	0.0072(3)		1 - 2	0.035(1)
	6 - 6	0.0245(5)		2 - 1	0.044(2)
	7 - 2	0.0154(3)		2 - 2	0.035(1)
	7 - 3	0.0154(3)		3 - 2	0.0154(3)
	7 - 4	0.0072(3)		3 - 3	0.0154(3)
	7 - 5	0.0154(3)		4 - 3	0.035(1)
	7 - 6	0.044(2)		4 - 4	0.0154(3)
	7 - 7	0.0245(5)	$g^3\Sigma_g^+ - e^3\Sigma_u^+$	0 - 0	0.044(2)
	8 - 2	0.0245(5)		0 - 1	0.052(3)
	8 - 3	0.0154(3)		1 - 1	0.0154(3)
	8 - 4	0.0154(3)		2 - 2	0.0072(3)
	8 - 5	0.0154(3)	$h^3\Sigma_u^+ - c^3\Pi_u$	2 - 2	0.0154(3)
	8 - 6	0.0154(3)		3 - 3	0.0072(3)
	8 - 7	0.0245(5)		4 - 4	0.0072(3)
	8 - 8	0.0245(5)		4 - 5	0.035(1)
	9 - 3	0.035(1)	$i^3\Pi_g^+ - c^3\Pi_u$	0 - 0	0.0245(5)
	9 - 4	0.0072(3)		0 - 1	0.076(7)
	9 - 5	0.0154(3)		1 - 0	0.044(2)
	9 - 6	0.0154(3)		1 - 1	0.035(1)
	9 - 7	0.044(2)		1 - 2	0.044(2)
	9 - 8	0.035(1)		2 - 2	0.044(2)
	10 - 3	0.035(1)		3 - 3	0.0245(5)
	10 - 4	0.035(1)		4 - 4	0.035(1)
	10 - 5	0.035(1)	$i^3\Pi_g^- - c^3\Pi_u$	0 - 0	0.0245(5)
	10 - 6	0.035(1)		0 - 1	0.076(7)
	10 - 7	0.035(1)		1 - 0	0.044(2)
	10 - 8	0.035(1)		1 - 1	0.035(1)
	10 - 9	0.035(1)		1 - 2	0.044(2)
$f^3\Sigma_u^+ - a^3\Sigma_g^+$	0 - 0	0.035(1)		2 - 1	0.0154(3)
	0 - 1	0.044(2)		2 - 2	0.044(2)

Table I. (Continued.)

Electron transition	Band	σ, cm^{-1}	Electron transition	Band	σ, cm^{-1}
$i^3\Pi_g^- - c^3\Pi_u$	2 - 3	0.0245(5)	$k^3\Pi_u - a^3\Sigma_g^+$	5 - 5	0.035(1)
	3 - 3	0.0245(5)		5 - 6	0.035(1)
	4 - 4	0.035(1)		5 - 7	0.052(3)
$i^3\Pi_g - e^3\Sigma_u^+$	0 - 0	0.035(1)		6 - 4	0.035(1)
	1 - 1	0.035(1)		6 - 5	0.0154(3)
	2 - 2	0.076(7)	$n^3\Pi_u - a^3\Sigma_g^+$	0 - 0	0.044(2)
$j^3\Delta_g^+ - c^3\Pi_u$	0 - 0	0.0245(5)		0 - 1	0.052(3)
	1 - 0	0.044(2)		1 - 0	0.0245(5)
	1 - 1	0.0245(5)		1 - 1	0.035(1)
	2 - 1	0.035(1)		1 - 2	0.044(2)
	2 - 2	0.0245(5)		2 - 1	0.10(2)
	3 - 3	0.0154(3)		2 - 2	0.044(2)
$j^3\Delta_g^- - c^3\Pi_u$	0 - 0	0.0245(5)		2 - 3	0.0154(3)
	0 - 1	0.0154(3)		3 - 2	0.063(5)
	1 - 0	0.044(2)		3 - 3	0.044(2)
	1 - 1	0.0245(5)		3 - 4	0.0072(3)
	1 - 2	0.0245(5)	$p^3\Sigma_g^+ - c^3\Pi_u$	0 - 0	0.076(7)
	2 - 1	0.035(1)		0 - 1	0.13(3)
	2 - 2	0.0245(5)		1 - 0	0.09(1)
	2 - 3	0.0072(3)		1 - 1	0.0154(3)
	3 - 2	0.052(3)		1 - 2	0.09(1)
	3 - 3	0.0154(3)		2 - 1	0.044(2)
	3 - 4	0.035(1)		2 - 2	0.063(5)
	4 - 4	0.052(3)		2 - 3	0.12(3)
	5 - 5	0.076(7)		3 - 3	0.0154(3)
$j^3\Delta_g - e^3\Sigma_u^+$	0 - 0	0.10(2)		4 - 4	0.0245(5)
$k^3\Pi_u - a^3\Sigma_g^+$	0 - 0	0.0245(5)	$p^3\Sigma_g^+ - e^3\Sigma_u^+$	0 - 0	0.063(5)
	0 - 1	0.0245(5)		0 - 1	0.063(5)
	1 - 0	0.035(1)		1 - 1	0.0245(5)
	1 - 1	0.035(1)		2 - 2	0.052(3)
	1 - 2	0.035(1)	$q^3\Sigma_g^+ - c^3\Pi_u$	0 - 0	0.0245(5)
	2 - 1	0.0245(5)	$r^3\Pi_g^+ - c^3\Pi_u$	0 - 0	0.052(3)
	2 - 2	0.0154(3)	$r^3\Pi_g^- - c^3\Pi_u$	0 - 0	0.052(3)
	2 - 3	0.0072(3)	$r^3\Pi_g - e^3\Sigma_u^+$	0 - 0	0.09(2)
	3 - 2	0.0154(3)	$s^3\Delta_g^- - c^3\Pi_u$	0 - 0	0.035(1)
	3 - 3	0.0245(5)	$u^3\Pi_u - a^3\Sigma_g^+$	1 - 0	0.044(2)
	3 - 4	0.0245(5)		1 - 1	0.0154(3)
	4 - 3	0.0245(5)		1 - 2	0.063(5)
	4 - 4	0.044(2)		2 - 1	0.13(3)
	4 - 5	0.0245(5)		2 - 2	0.0245(5)
	5 - 4	0.052(3)		2 - 3	0.10(2)

TABLE II: Upper and lower rovibronic levels of spectral lines, which wavenumber values (reported in various articles) were excluded as outliers from further statistical analysis. σ_ν is experimental RMS uncertainty for all other lines of the same band. O-C denotes the differences between Observed wavenumber values and those Calculated as differences of corresponding optimal energy level values obtained in the present work.

Upper electronic state	v'	N'	Lower electronic state	v"	N"	σ_ν	O-C	Source
$a^3\Sigma_g^+$	3	2	$c^3\Pi_u^+$	2	3	0.007	+0.02	[7]
$a^3\Sigma_g^+$	3	4	$c^3\Pi_u^+$	2	3	0.007	+0.87	[7]
$h^3\Sigma_g^+$	3	3	$c^3\Pi_u^+$	3	4	0.007	-0.09	[4]
$e^3\Sigma_u^+$	7	6	$a^3\Sigma_g^+$	3	7	0.007	-0.14	[14]
$e^3\Sigma_u^+$	7	8	$a^3\Sigma_g^+$	3	7	0.007	-0.02	[14]
$e^3\Sigma_u^+$	3	7	$a^3\Sigma_g^+$	1	8	0.007	-0.05	[4]
$e^3\Sigma_u^+$	4	3	$a^3\Sigma_g^+$	3	2	0.007	-0.02	[4]
$e^3\Sigma_u^+$	5	3	$a^3\Sigma_g^+$	3	2	0.007	+0.07	[4]
$e^3\Sigma_u^+$	5	2	$a^3\Sigma_g^+$	3	3	0.007	+0.02	[4]
$e^3\Sigma_u^+$	6	2	$a^3\Sigma_g^+$	5	3	0.007	+0.05	[4]
$e^3\Sigma_u^+$	6	5	$a^3\Sigma_g^+$	5	4	0.007	+0.16	[4]
$e^3\Sigma_u^+$	6	6	$a^3\Sigma_g^+$	5	7	0.007	+0.22	[4]
$e^3\Sigma_u^+$	7	7	$a^3\Sigma_g^+$	4	6	0.007	-0.03	[4]
$d^3\Pi_u^+$	1	1	$a^3\Sigma_g^+$	3	2	0.007	-0.16	[4]
$d^3\Pi_u^+$	1	3	$a^3\Sigma_g^+$	3	2	0.007	-0.06	[4]
$d^3\Pi_u^-$	1	5	$a^3\Sigma_g^+$	3	5	0.007	-0.16	[4]
$d^3\Pi_u^-$	1	6	$a^3\Sigma_g^+$	3	6	0.007	+0.16	[4]
$d^3\Pi_u^+$	2	2	$a^3\Sigma_g^+$	1	1	0.007	+0.06	[4]
$d^3\Pi_u^+$	2	6	$a^3\Sigma_g^+$	1	5	0.007	+0.03	[4]
$d^3\Pi_u^+$	2	7	$a^3\Sigma_g^+$	1	6	0.007	-0.03	[4]
$d^3\Pi_u^+$	2	9	$a^3\Sigma_g^+$	1	8	0.007	-0.05	[4]
$d^3\Pi_u^-$	5	6	$a^3\Sigma_g^+$	3	6	0.007	-0.17	[4]
$d^3\Pi_u^-$	5	8	$a^3\Sigma_g^+$	3	8	0.007	+0.07	[4]
$d^3\Pi_u^-$	7	5	$a^3\Sigma_g^+$	6	5	0.007	+0.18	[4]
$k^3\Pi_u^+$	2	1	$a^3\Sigma_g^+$	3	2	0.007	-0.14	[4]
$k^3\Pi_u^+$	2	3	$a^3\Sigma_g^+$	3	2	0.007	+0.21	[4]
$k^3\Pi_u^+$	2	5	$a^3\Sigma_g^+$	3	4	0.007	+0.09	[4]
$j^3\Delta_g^-$	2	2	$c^3\Pi_u^-$	3	1	0.007	-0.03	[4]
$a^3\Sigma_g^+$	2	5	$c^3\Pi_u^+$	1	4	0.015	+0.28	[7]
$a^3\Sigma_g^+$	2	4	$c^3\Pi_u^+$	1	5	0.015	+0.09	[7]
$a^3\Sigma_g^+$	2	5	$c^3\Pi_u^-$	1	5	0.015	+0.15	[7]
$a^3\Sigma_g^+$	2	6	$c^3\Pi_u^+$	1	5	0.015	+0.27	[7]
$g^3\Sigma_g^+$	1	3	$e^3\Sigma_u^+$	1	4	0.015	-0.22	[4]
$g^3\Sigma_g^+$	1	4	$e^3\Sigma_u^+$	1	5	0.015	-0.09	[4]
$e^3\Sigma_u^+$	1	4	$a^3\Sigma_g^+$	0	3	0.015	+0.09	[4]
$e^3\Sigma_u^+$	1	12	$a^3\Sigma_g^+$	0	11	0.015	+0.08	[4]
$e^3\Sigma_u^+$	1	14	$a^3\Sigma_g^+$	0	15	0.015	+0.19	[4]

Table II. (Continued.)

Upper electronic state	v'	N'	Lower electronic state	v"	N"	σ_ν	O-C	Source
$e^3\Sigma_u^+$	2	6	$a^3\Sigma_g^+$	0	7	0.015	+0.26	[14]
$e^3\Sigma_u^+$	2	8	$a^3\Sigma_g^+$	0	7	0.015	-0.05	[14]
$e^3\Sigma_u^+$	2	9	$a^3\Sigma_g^+$	0	8	0.015	+0.05	[14]
$e^3\Sigma_u^+$	4	5	$a^3\Sigma_g^+$	2	6	0.015	-0.13	[14]
$e^3\Sigma_u^+$	4	7	$a^3\Sigma_g^+$	2	8	0.015	+0.06	[14]
$e^3\Sigma_u^+$	6	5	$a^3\Sigma_g^+$	4	6	0.015	-0.06	[14]
$e^3\Sigma_u^+$	6	7	$a^3\Sigma_g^+$	4	8	0.015	+1.10	[14]
$e^3\Sigma_u^+$	7	1	$a^3\Sigma_g^+$	5	2	0.015	-4.22	[14]
$e^3\Sigma_u^+$	7	3	$a^3\Sigma_g^+$	5	2	0.015	+4.20	[14]
$e^3\Sigma_u^+$	0	9	$a^3\Sigma_g^+$	1	10	0.015	-0.11	[4]
$e^3\Sigma_u^+$	3	7	$a^3\Sigma_g^+$	0	6	0.015	-0.04	[4]
$e^3\Sigma_u^+$	3	10	$a^3\Sigma_g^+$	0	9	0.015	+0.23	[4]
$e^3\Sigma_u^+$	3	0	$a^3\Sigma_g^+$	3	1	0.015	+0.11	[4]
$e^3\Sigma_u^+$	4	7	$a^3\Sigma_g^+$	1	8	0.015	-0.07	[4]
$e^3\Sigma_u^+$	4	7	$a^3\Sigma_g^+$	1	8	0.015	-0.08	[14]
$e^3\Sigma_u^+$	4	5	$a^3\Sigma_g^+$	4	6	0.015	+0.15	[4]
$e^3\Sigma_u^+$	5	5	$a^3\Sigma_g^+$	2	6	0.015	+0.07	[4]
$e^3\Sigma_u^+$	5	3	$a^3\Sigma_g^+$	6	4	0.015	-0.08	[4]
$e^3\Sigma_u^+$	6	8	$a^3\Sigma_g^+$	3	9	0.015	+0.09	[4]
$e^3\Sigma_u^+$	7	4	$a^3\Sigma_g^+$	3	5	0.015	-0.03	[4]
$e^3\Sigma_u^+$	7	8	$a^3\Sigma_g^+$	3	7	0.015	+0.13	[4]
$e^3\Sigma_u^+$	8	1	$a^3\Sigma_g^+$	3	0	0.015	+0.05	[4]
$e^3\Sigma_u^+$	8	4	$a^3\Sigma_g^+$	4	3	0.015	-0.05	[4]
$e^3\Sigma_u^+$	8	4	$a^3\Sigma_g^+$	4	5	0.015	-0.10	[4]
$e^3\Sigma_u^+$	8	5	$a^3\Sigma_g^+$	6	6	0.015	-0.07	[4]
$e^3\Sigma_u^+$	9	3	$a^3\Sigma_g^+$	5	4	0.015	-0.19	[4]
$e^3\Sigma_u^+$	9	5	$a^3\Sigma_g^+$	5	4	0.015	-0.10	[4]
$e^3\Sigma_u^+$	9	1	$a^3\Sigma_g^+$	6	0	0.015	+0.10	[4]
$e^3\Sigma_u^+$	9	2	$a^3\Sigma_g^+$	6	1	0.015	-0.10	[4]
$e^3\Sigma_u^+$	9	7	$a^3\Sigma_g^+$	6	8	0.015	+0.11	[4]
$f^3\Sigma_u^+$	1	4	$a^3\Sigma_g^+$	0	5	0.015	-0.08	[4]
$f^3\Sigma_u^+$	1	3	$a^3\Sigma_g^+$	1	2	0.015	+0.07	[4]
$f^3\Sigma_u^+$	2	2	$a^3\Sigma_g^+$	3	1	0.015	-0.06	[4]
$f^3\Sigma_u^+$	2	2	$a^3\Sigma_g^+$	3	3	0.015	+0.09	[4]

Table II. (Continued.)

Upper electronic state	v'	N'	Lower electronic state	v"	N"	σ_ν	O-C	Source
$d^3\Pi_u^+$	2	1	$a^3\Sigma_g^+$	2	2	0.015	-0.08	[13]
$d^3\Pi_u^+$	2	6	$a^3\Sigma_g^+$	2	5	0.015	+1.33	[13]
$d^3\Pi_u^+$	2	7	$a^3\Sigma_g^+$	2	6	0.015	-1.20	[13]
$d^3\Pi_u^+$	2	7	$a^3\Sigma_g^+$	2	8	0.015	+0.06	[13]
$d^3\Pi_u^+$	3	4	$a^3\Sigma_g^+$	2	5	0.015	-0.50	[13]
$d^3\Pi_u^+$	3	5	$a^3\Sigma_g^+$	2	6	0.015	+0.31	[13]
$d^3\Pi_u^-$	4	6	$a^3\Sigma_g^+$	3	6	0.015	-0.08	[13]
$d^3\Pi_u^-$	4	3	$a^3\Sigma_g^+$	4	3	0.015	-0.11	[13]
$d^3\Pi_u^-$	5	5	$a^3\Sigma_g^+$	4	5	0.015	-0.06	[13]
$d^3\Pi_u^+$	0	10	$a^3\Sigma_g^+$	1	9	0.015	+0.09	[4]
$d^3\Pi_u^+$	1	1	$a^3\Sigma_g^+$	0	2	0.015	+0.09	[4]
$d^3\Pi_u^-$	1	2	$a^3\Sigma_g^+$	0	2	0.015	+0.36	[4]
$d^3\Pi_u^+$	1	4	$a^3\Sigma_g^+$	0	5	0.015	+0.06	[4]
$d^3\Pi_u^-$	1	1	$a^3\Sigma_g^+$	1	1	0.015	-0.07	[4]
$d^3\Pi_u^-$	1	10	$a^3\Sigma_g^+$	1	10	0.015	-0.05	[4]
$d^3\Pi_u^-$	1	10	$a^3\Sigma_g^+$	2	10	0.015	+0.03	[4]
$d^3\Pi_u^-$	2	1	$a^3\Sigma_g^+$	0	1	0.015	+0.09	[4]
$d^3\Pi_u^+$	2	8	$a^3\Sigma_g^+$	2	7	0.015	+0.04	[4]
$d^3\Pi_u^+$	2	9	$a^3\Sigma_g^+$	2	8	0.015	+0.05	[4]
$d^3\Pi_u^-$	2	6	$a^3\Sigma_g^+$	3	6	0.015	+0.05	[4]
$d^3\Pi_u^-$	2	9	$a^3\Sigma_g^+$	3	9	0.015	+0.08	[4]
$d^3\Pi_u^-$	2	5	$a^3\Sigma_g^+$	4	5	0.015	+0.12	[4]
$d^3\Pi_u^-$	2	7	$a^3\Sigma_g^+$	4	7	0.015	+0.21	[4]
$d^3\Pi_u^+$	3	6	$a^3\Sigma_g^+$	3	5	0.015	-0.09	[4]
$d^3\Pi_u^+$	3	1	$a^3\Sigma_g^+$	5	2	0.015	-0.09	[4]
$d^3\Pi_u^+$	3	2	$a^3\Sigma_g^+$	5	3	0.015	+0.09	[4]
$d^3\Pi_u^+$	3	4	$a^3\Sigma_g^+$	5	5	0.015	+0.05	[4]
$d^3\Pi_u^+$	4	7	$a^3\Sigma_g^+$	2	8	0.015	-0.05	[4]
$d^3\Pi_u^+$	4	2	$a^3\Sigma_g^+$	3	3	0.015	+0.11	[4]
$d^3\Pi_u^+$	4	2	$a^3\Sigma_g^+$	3	3	0.015	+0.12	[13]
$d^3\Pi_u^+$	4	7	$a^3\Sigma_g^+$	3	6	0.015	+0.07	[4]
$d^3\Pi_u^+$	4	7	$a^3\Sigma_g^+$	3	6	0.015	+0.07	[13]
$d^3\Pi_u^-$	4	7	$a^3\Sigma_g^+$	5	7	0.015	+0.06	[4]
$n^3\Pi_u^+$	2	2	$a^3\Sigma_g^+$	3	3	0.015	-0.12	[4]

Table II. (Continued.)

Upper electronic state	v'	N'	Lower electronic state	v"	N"	σ_ν	O-C	Source
$g^3\Sigma_g^+$	1	3	$c^3\Pi_u^+$	1	4	0.015	+0.12	[4]
$g^3\Sigma_g^+$	1	6	$c^3\Pi_u^+$	1	7	0.015	+0.16	[4]
$g^3\Sigma_g^+$	3	2	$c^3\Pi_u^-$	2	2	0.015	-0.05	[4]
$g^3\Sigma_g^+$	3	3	$c^3\Pi_u^-$	2	3	0.015	-0.04	[4]
$g^3\Sigma_g^+$	3	3	$c^3\Pi_u^+$	2	4	0.015	+0.08	[4]
$g^3\Sigma_g^+$	3	3	$c^3\Pi_u^+$	3	2	0.015	-0.08	[4]
$g^3\Sigma_g^+$	3	7	$c^3\Pi_u^+$	3	6	0.015	-0.03	[4]
$g^3\Sigma_g^+$	3	7	$c^3\Pi_u^-$	3	7	0.015	+0.08	[4]
$p^3\Sigma_g^+$	1	2	$c^3\Pi_u^+$	1	3	0.015	-0.07	[4]
$i^3\Pi_g^+$	2	2	$c^3\Pi_u^-$	1	2	0.015	-0.16	[4]
$i^3\Pi_g^-$	2	2	$c^3\Pi_u^-$	1	1	0.015	+0.22	[4]
$i^3\Pi_g^-$	2	3	$c^3\Pi_u^-$	1	2	0.015	+0.13	[4]
$j^3\Delta_g^-$	3	2	$c^3\Pi_u^-$	3	3	0.015	-0.03	[4]
$j^3\Delta_g^-$	3	3	$c^3\Pi_u^-$	3	4	0.015	+0.06	[4]
$e^3\Sigma_u^+$	0	6	$a^3\Sigma_g^+$	0	5	0.024	+0.19	[14]
$e^3\Sigma_u^+$	3	8	$a^3\Sigma_g^+$	1	7	0.024	-0.13	[14]
$e^3\Sigma_u^+$	3	9	$a^3\Sigma_g^+$	1	10	0.024	+0.15	[14]
$e^3\Sigma_u^+$	3	0	$a^3\Sigma_g^+$	2	1	0.024	-0.15	[14]
$e^3\Sigma_u^+$	7	6	$a^3\Sigma_g^+$	4	5	0.024	-0.21	[14]
$e^3\Sigma_u^+$	2	8	$a^3\Sigma_g^+$	2	7	0.024	+0.08	[4]
$e^3\Sigma_u^+$	2	8	$a^3\Sigma_g^+$	2	9	0.024	+0.09	[4]
$e^3\Sigma_u^+$	3	6	$a^3\Sigma_g^+$	4	5	0.024	-0.11	[4]
$e^3\Sigma_u^+$	6	5	$a^3\Sigma_g^+$	2	4	0.024	-0.05	[4]
$e^3\Sigma_u^+$	6	4	$a^3\Sigma_g^+$	6	3	0.024	-0.04	[4]
$e^3\Sigma_u^+$	6	7	$a^3\Sigma_g^+$	6	8	0.024	+0.09	[4]
$e^3\Sigma_u^+$	8	0	$a^3\Sigma_g^+$	7	1	0.024	-0.09	[4]
$f^3\Sigma_u^+$	1	1	$a^3\Sigma_g^+$	2	0	0.024	+0.21	[4]
$f^3\Sigma_u^+$	1	4	$a^3\Sigma_g^+$	2	5	0.024	+0.14	[4]
$f^3\Sigma_u^+$	2	2	$a^3\Sigma_g^+$	1	3	0.024	+0.20	[4]
$d^3\Pi_u^-$	1	2	$a^3\Sigma_g^+$	0	2	0.024	+1.02	[13]
$d^3\Pi_u^-$	1	7	$a^3\Sigma_g^+$	1	7	0.024	+0.34	[13]
$d^3\Pi_u^-$	3	5	$a^3\Sigma_g^+$	3	5	0.024	-0.15	[13]
$d^3\Pi_u^+$	3	6	$a^3\Sigma_g^+$	3	5	0.024	-0.12	[13]
$d^3\Pi_u^+$	3	5	$a^3\Sigma_g^+$	2	4	0.024	-0.08	[4]
$d^3\Pi_u^-$	3	6	$a^3\Sigma_g^+$	4	6	0.024	+0.14	[4]
$d^3\Pi_u^-$	5	3	$a^3\Sigma_g^+$	2	3	0.024	-0.13	[4]
$d^3\Pi_u^-$	6	7	$a^3\Sigma_g^+$	4	7	0.024	-0.11	[4]

Table II. (Continued.)

Upper electronic state	v’	N’	Lower electronic state	v”	N”	σ_ν	O-C	Source
$k^3\Pi_u^+$	0	7	$a^3\Sigma_g^+$	0	6	0.024	+0.17	[4]
$k^3\Pi_u^+$	0	7	$a^3\Sigma_g^+$	0	8	0.024	-0.01	[4]
$k^3\Pi_u^-$	0	8	$a^3\Sigma_g^+$	0	8	0.024	+0.16	[4]
$k^3\Pi_u^+$	0	4	$a^3\Sigma_g^+$	1	3	0.024	+0.19	[4]
$k^3\Pi_u^-$	0	8	$a^3\Sigma_g^+$	1	8	0.024	-0.04	[4]
$k^3\Pi_u^+$	2	3	$a^3\Sigma_g^+$	1	4	0.024	-0.10	[4]
$k^3\Pi_u^-$	3	6	$a^3\Sigma_g^+$	3	6	0.024	+0.22	[4]
$k^3\Pi_u^+$	4	5	$a^3\Sigma_g^+$	3	4	0.024	+0.09	[4]
$k^3\Pi_u^+$	4	4	$a^3\Sigma_g^+$	5	5	0.024	-0.14	[4]
$g^3\Sigma_g^+$	0	4	$c^3\Pi_u^+$	0	5	0.024	+0.13	[4]
$i^3\Pi_g^+$	0	2	$c^3\Pi_u^-$	0	2	0.024	-0.16	[4]
$i^3\Pi_g^+$	0	10	$c^3\Pi_u^-$	0	10	0.024	+0.12	[4]
$i^3\Pi_g^+$	0	10	$c^3\Pi_u^+$	0	11	0.024	-0.02	[4]
$i^3\Pi_g^+$	3	7	$c^3\Pi_u^+$	3	6	0.024	+0.09	[4]
$i^3\Pi_g^+$	3	7	$c^3\Pi_u^+$	3	8	0.024	-0.07	[4]
$i^3\Pi_g^-$	0	3	$c^3\Pi_u^+$	0	3	0.024	-0.09	[4]
$i^3\Pi_g^-$	0	6	$c^3\Pi_u^-$	0	7	0.024	-0.09	[4]
$i^3\Pi_g^-$	0	9	$c^3\Pi_u^+$	0	9	0.024	+0.12	[4]
$i^3\Pi_g^-$	0	10	$c^3\Pi_u^-$	0	9	0.024	+0.18	[4]
$i^3\Pi_g^-$	0	13	$c^3\Pi_u^-$	0	12	0.024	-0.08	[4]
$i^3\Pi_g^-$	0	13	$c^3\Pi_u^-$	0	14	0.024	-0.08	[4]
$i^3\Pi_g^-$	2	3	$c^3\Pi_u^+$	3	3	0.024	+0.04	[4]
$i^3\Pi_g^-$	3	2	$c^3\Pi_u^+$	3	2	0.024	-0.04	[4]
$i^3\Pi_g^-$	3	2	$c^3\Pi_u^-$	3	3	0.024	+0.05	[4]
$i^3\Pi_g^-$	3	6	$c^3\Pi_u^-$	3	5	0.024	-0.15	[4]
$j^3\Delta_g^+$	0	12	$c^3\Pi_u^-$	0	12	0.024	-0.00	[4]
$j^3\Delta_g^+$	0	12	$c^3\Pi_u^+$	0	13	0.024	-0.01	[4]
$j^3\Delta_g^+$	1	7	$c^3\Pi_u^-$	1	7	0.024	+0.10	[4]
$j^3\Delta_g^+$	1	9	$c^3\Pi_u^+$	1	8	0.024	-0.04	[4]
$j^3\Delta_g^+$	1	9	$c^3\Pi_u^+$	1	10	0.024	+0.02	[4]
$j^3\Delta_g^+$	2	8	$c^3\Pi_u^+$	2	9	0.024	-0.10	[4]
$j^3\Delta_g^-$	0	5	$c^3\Pi_u^-$	0	4	0.024	-0.12	[4]
$j^3\Delta_g^-$	0	13	$c^3\Pi_u^-$	0	12	0.024	+0.21	[4]
$j^3\Delta_g^-$	0	13	$c^3\Pi_u^+$	0	13	0.024	-0.02	[4]
$j^3\Delta_g^-$	0	13	$c^3\Pi_u^-$	0	14	0.024	-0.00	[4]
$j^3\Delta_g^-$	1	8	$c^3\Pi_u^+$	1	8	0.024	+0.11	[4]
$j^3\Delta_g^-$	1	10	$c^3\Pi_u^-$	1	9	0.024	-0.45	[4]
$j^3\Delta_g^-$	1	10	$c^3\Pi_u^+$	1	10	0.024	-0.09	[4]
$j^3\Delta_g^-$	2	2	$c^3\Pi_u^-$	2	3	0.024	-0.09	[4]

Table II. (Continued.)

Upper electronic state	v'	N'	Lower electronic state	v"	N"	σ_ν	O-C	Source
$e^3\Sigma_u^+$	1	8	$a^3\Sigma_g^+$	2	9	0.034	+0.17	[4]
$e^3\Sigma_u^+$	2	10	$a^3\Sigma_g^+$	0	11	0.034	-0.14	[4]
$e^3\Sigma_u^+$	10	3	$a^3\Sigma_g^+$	4	4	0.034	+0.25	[4]
$e^3\Sigma_u^+$	10	4	$a^3\Sigma_g^+$	6	3	0.034	-0.09	[4]
$d^3\Pi_u^+$	2	5	$a^3\Sigma_g^+$	1	4	0.034	-0.13	[13]
$d^3\Pi_u^+$	4	1	$a^3\Sigma_g^+$	5	0	0.034	+1.03	[13]
$d^3\Pi_u^+$	4	1	$a^3\Sigma_g^+$	5	2	0.034	+1.68	[13]
$d^3\Pi_u^+$	3	5	$a^3\Sigma_g^+$	1	4	0.034	+0.17	[4]
$k^3\Pi_u^+$	1	3	$a^3\Sigma_g^+$	2	4	0.034	+0.11	[4]
$g^3\Sigma_g^+$	2	5	$c^3\Pi_u^+$	2	6	0.034	+0.21	[4]
$g^3\Sigma_g^+$	2	10	$c^3\Pi_u^+$	2	9	0.034	+0.01	[4]
$g^3\Sigma_g^+$	2	10	$c^3\Pi_u^-$	2	10	0.034	-0.03	[4]
$j^3\Delta_g^+$	2	5	$c^3\Pi_u^-$	1	5	0.034	-0.10	[4]
$j^3\Delta_g^-$	2	3	$c^3\Pi_u^-$	1	4	0.034	-0.13	[4]
$j^3\Delta_g^-$	2	4	$c^3\Pi_u^+$	1	4	0.034	-0.27	[4]
$j^3\Delta_g^-$	2	5	$c^3\Pi_u^+$	1	5	0.034	-0.22	[4]
$j^3\Delta_g^-$	3	2	$c^3\Pi_u^+$	4	2	0.034	+0.15	[4]
$e^3\Sigma_u^+$	8	2	$a^3\Sigma_g^+$	5	3	0.044	+0.24	[14]
$e^3\Sigma_u^+$	9	2	$a^3\Sigma_g^+$	7	1	0.044	-0.27	[4]
$d^3\Pi_u^+$	4	3	$a^3\Sigma_g^+$	6	4	0.044	+0.17	[4]
$n^3\Pi_u^-$	1	5	$a^3\Sigma_g^+$	2	5	0.044	-0.05	[4]
$n^3\Pi_u^+$	1	5	$a^3\Sigma_g^+$	2	6	0.044	+0.25	[4]
$g^3\Sigma_g^+$	2	4	$c^3\Pi_u^+$	1	5	0.044	-0.27	[4]
$i^3\Pi_g^+$	1	2	$c^3\Pi_u^+$	0	1	0.044	-0.19	[4]
$i^3\Pi_g^+$	1	5	$c^3\Pi_u^-$	0	5	0.044	+0.20	[4]
$i^3\Pi_g^+$	1	6	$c^3\Pi_u^+$	0	7	0.044	+0.15	[4]
$i^3\Pi_g^+$	1	8	$c^3\Pi_u^+$	0	7	0.044	+0.17	[4]
$i^3\Pi_g^-$	1	2	$c^3\Pi_u^-$	0	3	0.044	+0.22	[4]
$i^3\Pi_g^-$	1	3	$c^3\Pi_u^+$	0	3	0.044	-0.27	[4]
$i^3\Pi_g^-$	2	5	$c^3\Pi_u^-$	2	4	0.044	+0.20	[4]
$i^3\Pi_g^-$	2	9	$c^3\Pi_u^-$	2	8	0.044	-0.59	[4]
$i^3\Pi_g^-$	2	9	$c^3\Pi_u^-$	2	10	0.044	-0.03	[4]

Table II. (Continued.)

Upper electronic state	v'	N'	Lower electronic state	v"	N"	σ_ν	O-C	Source
$j^3\Delta_g^+$	1	2	$c^3\Pi_u^-$	0	2	0.044	+0.14	[4]
$j^3\Delta_g^-$	1	4	$c^3\Pi_u^+$	0	4	0.044	-0.18	[4]
$j^3\Delta_g^-$	1	6	$c^3\Pi_u^-$	0	7	0.044	+0.26	[4]
$k^3\Pi_u^-$	5	4	$a^3\Sigma_g^+$	4	4	0.051	-0.13	[4]
$e^3\Sigma_u^+$	3	0	$a^3\Sigma_g^+$	6	1	0.063	-0.19	[4]
$g^3\Sigma_g^+$	0	2	$c^3\Pi_u^+$	1	3	0.063	-0.18	[4]
$c^3\Pi_u^+$	3	3	$a^3\Sigma_g^+$	0	2	0.075	+0.26	[4]
$e^3\Sigma_u^+$	4	2	$a^3\Sigma_g^+$	6	1	0.26	-1.39	[16]
$e^3\Sigma_u^+$	4	8	$a^3\Sigma_g^+$	6	9	0.26	-3.31	[16]
$e^3\Sigma_u^+$	4	9	$a^3\Sigma_g^+$	6	10	0.26	-2.24	[16]
$e^3\Sigma_u^+$	4	11	$a^3\Sigma_g^+$	6	10	0.26	+2.24	[16]

TABLE III: Experimental values of the wavenumbers (in cm^{-1}) of some spectral lines of D_2 obtained in the present work (P.W.)and reported in [4]. O-C denotes the differences between Observed wavenumber values and those Calculated as differences of corresponding optimal energy level values obtained in the present work.

Electronic transition	Band	Line	[4]	O-C	P.W.	O-C
$e^3\Sigma_u^+ - a^3\Sigma_g^+$	2-0	P11	13751.08	-0.14	13751.29	0.07
	3-0	R6	15868.98	-0.05	15869.01	-0.02
		R9	15705.21	0.23	15704.98	0.00
	4-1	P8	14862.89	-0.08	14862.95	-0.02
	5-2	P6	14524.31	0.07	14524.26	0.02
	6-2	R4	15977.48	-0.06	15977.56	0.02
	6-3	P9	13703.95	0.09	13703.87	0.01
	7-3	P5	15107.67	-0.04	15107.71	0.00
	8-3	R0	16354.21	0.05	16354.19	0.03
	8-4	P5	14468.77	-0.10	14468.86	-0.01
		R3	14727.33	-0.06	14727.38	-0.01
	9-5	P4	13861.27	-0.19	13861.45	-0.01
		R4	14002.82	-0.11	14002.91	-0.02
	10-4	P4	16124.14	0.25	16123.94	0.05
$f^3\Sigma_u^+ - a^3\Sigma_g^+$	1-1	R2	20346.49	0.07	20346.42	0.00
	1-2	R0	18564.54	0.21	18564.19	-0.14
	2-1	P3	21653.13	0.20	21653.04	0.11
	2-3	P3	18242.42	0.09	18242.40	0.07
$d^3\Pi_u - a^3\Sigma_g^+$	0-1	R9	15019.54	0.10	15019.44	0.00
	1-0	P2	18207.70	0.10	18207.60	0.00
		P5	18065.38	0.06	18065.36	0.04
	1-1	Q1	16460.87	-0.07	16460.93	-0.01
		Q10	16267.60	-0.05	16267.64	-0.01
	1-2	Q10	14582.86	0.03	14582.84	0.01
	2-0	Q1	19823.53	0.09	19823.45	0.01
	2-1	R1	18065.70	0.07	18065.68	0.05
		R5	18109.66	0.04	18109.64	0.02
		R6	18107.89	-0.04	18107.97	0.04
		R8	18089.06	-0.05	18089.10	-0.01
	2-2	R7	16386.78	0.05	16386.78	0.05
		R8	16383.63	0.05	16383.58	0.00
	2-3	Q6	14538.55	0.05	14538.51	0.01
		Q9	14481.26	0.09	14481.19	0.02
	3-1	R4	19576.76	0.17	19576.61	0.02
	3-2	R4	17842.03	-0.08	17842.10	-0.01
	3-3	R5	16180.93	-0.10	16181.08	0.05
	3-4	Q6	14415.64	0.15	14415.48	-0.01

Table III. (Continued.)

Electronic transition	Band	Line	[4]	O-C	This work	O-C
$d^3\Pi_u - a^3\Sigma_g^+$	4-2	P8	18788.84	-0.05	18788.84	-0.05
	4-3	P3	17401.87	0.11	17401.74	-0.02
		R6	17586.74	0.07	17586.69	0.02
	4-5	Q7	14280.99	0.06	14280.94	0.01
	5-2	Q3	20510.44	-0.14	20510.57	-0.01
	5-3	Q6	18757.31	-0.17	18757.49	0.01
		Q8	18677.56	0.08	18677.49	0.01
	6-4	Q7	18420.01	-0.11	18420.10	-0.02
	7-6	Q5	16727.50	0.18	16727.38	0.06
$k^3\Pi_u - a^3\Sigma_g^+$	0-0	P8	21966.23	-0.01	21966.21	-0.03
		Q8	22180.52	0.16	22180.39	0.03
		R6	22452.89	0.17	22452.75	0.03
	0-1	Q8	20406.67	-0.04	20406.68	-0.03
		R3	20613.91	0.19	20613.78	0.06
	1-2	P4	20217.44	0.11	20217.32	-0.01
	2-3	P2	20142.72	-0.14	20142.76	-0.10
		R2	20282.53	0.21	20282.45	0.13
		R4	20320.54	0.09	20320.48	0.03
	3-3	Q6	21592.35	0.22	21592.11	-0.02
	4-3	R4	23156.99	0.10	23156.92	0.03
	4-5	P5	19755.38	-0.15	19755.42	-0.11
	5-4	Q4	22761.98	-0.13	22762.13	0.02
$n^3\Pi_u - a^3\Sigma_g^+$	1-2	Q5	22881.68	-0.05	22881.71	-0.02
	2-3	P3	22670.82	-0.12	22670.88	-0.06
$h^3\Sigma_g^+ - c^3\Pi_u$	3-3	P4	16779.23	-0.09	16779.32	0.00
$g^3\Sigma_g^+ - c^3\Pi_u$	0-0	P5	16588.93	0.13	16588.87	0.07
	0-1	P3	15064.96	-0.18	15065.27	0.13
	1-1	P4	16502.17	0.13	16502.08	0.04
	2-1	P5	17846.80	-0.27	17847.07	0.00
	2-2	P6	16164.95	0.22	16164.69	-0.04
		R9	16314.06	0.01	16314.07	0.02
		Q10	16045.63	-0.03	16045.64	-0.02
	3-2	P4	17652.53	0.09	17652.43	-0.01
		Q2	17801.97	-0.06	17801.97	-0.06
		Q3	17765.57	-0.05	17765.67	0.05
	3-3	Q7	16024.02	0.09	16023.98	0.05
		R2	16293.82	-0.08	16293.88	-0.02
		R6	16210.71	-0.04	16210.70	-0.05
$i^3\Pi_g^+ - c^3\Pi_u$	0-0	P11	16902.38	-0.03	16902.34	-0.07
		Q10	17214.20	0.13	17214.14	0.07

Table III. (Continued.)

Electronic transition	Band	Line	[4]	O-C	This work	O-C
$i^3\Pi_g^+ - c^3\Pi_u$	1-0	P7	18524.43	0.16	18524.27	0.00
		Q5	18728.49	0.20	18728.35	0.06
		R1	18750.25	-0.20	18750.51	0.06
		R7	18957.79	0.17	18957.66	0.04
	2-1	Q2	18425.10	-0.17	18425.19	-0.08
	3-3	P8	16450.63	-0.08	16450.62	-0.09
		R6	16849.79	0.10	16849.78	0.09
$i^3\Pi_g^- - c^3\Pi_u$	0-0	P7	16787.90	-0.10	16787.97	-0.03
		P14	16369.80	-0.08	16369.84	-0.04
		Q3	17071.29	-0.09	17071.28	-0.10
		Q9	16898.78	0.13	16898.69	0.04
		R9	17150.62	0.17	17150.53	0.08
		R12	17109.51	-0.09	17109.64	0.04
	1-0	P3	18525.88	0.22	18525.72	0.06
		Q3	18598.23	-0.27	18598.59	0.09
	2-1	R1	18451.87	0.23	18451.64	0.00
		R2	18464.46	0.13	18464.34	0.01
	2-2	P10	16345.66	-0.04	16345.72	0.02
		R4	16864.08	0.21	16863.92	0.05
		R8	16857.89	-0.59	16858.46	-0.02
	2-3	Q3	15207.72	0.05	15207.75	0.08
	3-3	P3	16517.58	0.06	16517.57	0.05
		Q2	16599.70	0.05	16599.70	0.05
		R5	16693.01	-0.16	16693.13	-0.04
$j^3\Delta_g^+ - c^3\Pi_u$	0-0	P13	17309.93	-0.02	17309.93	-0.02
		Q12	17667.66	0.00	17667.68	0.02
	1-0	Q2	19060.17	0.14	19060.15	0.12
	1-1	P10	17192.24	0.02	17192.26	0.04
		Q7	17439.67	0.11	17439.65	0.09
		R8	17722.82	-0.04	17722.82	-0.04
	2-1	Q5	18907.85	-0.11	18907.90	-0.06
	2-2	P9	17081.06	-0.10	17081.14	-0.02

Table III. (Continued.)

Electronic transition	Band	Line	[4]	O-C	This work	O-C
$j^3\Delta_g^- - c^3\Pi_u$	0-0	P14	17182.21	-0.01	17182.26	0.04
		Q13	17564.20	-0.02	17564.24	0.02
		R4	17654.95	-0.13	17655.06	-0.02
		R12	17922.15	0.22	17921.87	-0.06
	1-0	P7	18863.60	0.26	18863.37	0.03
		Q4	19066.14	-0.18	19066.26	-0.06
	1-1	Q8	17423.59	0.10	17423.54	0.05
		Q10	17431.73	-0.09	17431.78	-0.04
		R9	17709.08	-0.46	17709.58	0.04
	2-1	P4	18786.75	-0.14	18786.94	0.05
		Q4	18903.82	-0.28	18904.14	0.04
		Q5	18903.31	-0.22	18903.52	-0.01
	2-2	P3	17200.68	-0.10	17200.72	-0.06
	2-3	R1	15783.87	-0.25	15784.09	-0.03
	3-3	P3	17107.09	-0.04	17107.11	-0.02
	3-4	Q2	15692.04	0.16	15691.96	0.08

TABLE IV: Optimal values E_{nvN} of rovibronic energy levels (in cm^{-1}) for various triplet electronic states of D_2 molecule obtained in the present work. The uncertainties of the E_{nvN} value determination (one SD) are shown in brackets in units of last significant digit. n_ν — the number of various spectral lines directly connected with certain level. ΔE is the difference between energy level values obtained in the present work and those reported in [4].

$(1s\sigma 2s\sigma)a^3\Sigma_g^+$									
	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	0	21	0	1814.908(5)	25	-0.008	3560.726(6)	26	-0.016
1	33.631(4)	43	-0.011	1847.364(8)	55	-0.014	3592.036(8)	56	-0.016
2	100.770(6)	52	-0.010	1912.172(5)	66	-0.012	3654.573(5)	70	-0.003
3	201.109(9)	47	-0.009	2009.042(8)	63	-0.002	3748.034(8)	64	-0.004
4	334.333(6)	49	-0.013	2137.628(6)	57	-0.008	3872.103(6)	64	-0.003
5	499.850(10)	37	-0.020	2297.385(9)	46	-0.005	4026.245(9)	49	-0.005
6	697.092(7)	30	-0.012	2487.748(6)	42	0.002	4209.894(7)	44	0.006
7	925.260(11)	19	-0.020	2707.967(10)	27	-0.007	4422.319(10)	25	0.001
8	1183.573(8)	19	-0.013	2957.220(7)	27	0.020	4662.756(7)	22	0.014
9	1471.063(13)	11	-0.043	3234.634(11)	21	-0.004	4930.308(11)	14	-0.008
10	1786.713(9)	12	-0.023	3539.206(8)	15	0.024	5224.035(9)	10	0.015
11	2129.524(17)	6	-0.054	3869.902(14)	6	0.008	5542.94(2)	4	-0.010
12	2498.252(13)	6	-0.042	4225.651(16)	3	0.069	5885.90(3)	3	0.010
13	2891.75(2)	5	-0.019	4605.20(2)	3	-0.010	6251.85(3)	2	0.040
14	3308.86(2)	5	-0.050	5007.43(3)	3	-0.050	6639.59(3)	2	0.020
15	3748.44(3)	5	-0.010	5431.37(3)	3	0.010	7048.04(3)	2	0.030
16	4208.73(3)	5	0.070	5875.16(4)	2	0.050	7475.59(17)	2	0.050
17	4689.10(3)	4	0.010	6338.32(4)	2	0.040	-		
18	5187.38(4)	3	0.060	6818.59(4)	2	0.080	-		

	v = 3			v = 4			v = 5		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	5238.994(6)	27	-0.014	6851.077(6)	21	-0.007	8398.070(7)	14	-0.000
1	5269.198(8)	54	-0.008	6880.190(9)	48	0.000	8426.100(9)	37	0.000
2	5329.503(6)	64	-0.013	6938.313(6)	57	-0.013	8482.065(6)	37	0.015
3	5419.642(8)	64	-0.012	7025.178(9)	49	0.002	8565.721(9)	35	-0.011
4	5539.282(6)	63	-0.012	7140.470(6)	54	-0.020	8676.731(6)	40	0.019
5	5687.907(9)	46	-0.007	7283.696(9)	36	0.004	8814.632(9)	31	-0.012
6	5864.981(6)	38	-0.011	7454.309(6)	32	-0.009	8978.894(7)	27	0.016
7	6069.794(10)	20	-0.034	7651.638(10)	17	0.012	9168.832(11)	13	-0.012
8	6301.579(7)	17	-0.009	7874.926(8)	10	-0.016	9383.741(8)	11	0.029
9	6559.496(12)	10	-0.046	8122.780(18)	5	0.010	9622.02(3)	1	0.030
10	6842.595(10)	7	-0.015	8395.99(2)	5	0.040	9884.34(4)	1	0.040
11	7149.86(5)	3	-0.050	8691.85(6)	2	-0.030	-		
12	7477.29(6)	3	-0.010	9006.99(7)	2	-0.010	-		
13	7828.14(6)	2	0.030	-			-		
14	8198.89(6)	2	0.090	-			-		

Table IV. (Continued.)

$(1s\sigma 2s\sigma)a^3\Sigma_g^+$

	v = 6			v = 7			v = 8		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	9880.806(11)	10	-0.016	11299.845(16)	6	-0.045	12655.467(18)	5	-0.007
1	9907.775(10)	26	0.005	11325.784(11)	18	-0.004	12680.356(12)	12	-0.036
2	9961.617(7)	32	-0.017	11377.500(8)	18	0.000	12729.972(9)	13	-0.052
3	10042.093(10)	28	-0.013	11454.821(12)	14	-0.010	12804.129(13)	14	-0.059
4	10148.876(7)	28	-0.026	11557.399(9)	14	-0.009	12902.503(9)	13	-0.143
5	10281.509(10)	25	-0.069	11684.766(13)	8	-0.036	13024.059(14)	4	-0.049
6	10439.463(8)	20	-0.033	11836.493(10)	7	-0.033	13170.42(5)	2	-0.000
7	10622.101(13)	12	-0.071	12011.941(19)	3	-0.051	-		
8	10828.794(13)	7	-0.084	12210.76(3)	2	-0.060	-		
9	11057.80(2)	2	0.010	-			-		
10	-			-			-		
11	11594.7(3)	2	–	-			-		
12	11894.2(3)	2	–	-			-		

	v = 9			v = 10		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	13947.39(4)	1	0.000	-		
1	13971.355(15)	4	-0.035	15198.29(5)	2	-0.030
2	14018.883(12)	4	-0.013	15243.76(5)	2	-0.020
3	14089.876(15)	3	0.024	15311.62(5)	2	-0.040
4	14184.038(13)	4	-0.088	15401.72(7)	1	0.010
5	14300.933(17)	3	0.017	15513.75(5)	2	-0.050
6	14440.112(13)	1	0.028	-		

$(1s\sigma 2p\pi)c^3\Pi_u^-$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	-132.611(18)	12	0.021	1548.794(14)	9	0.036	3168.223(11)	8	0.087
2	-71.553(12)	17	-0.007	1607.788(9)	15	0.032	3225.211(8)	12	0.079
3	19.675(15)	20	-0.015	1695.944(12)	17	0.046	3310.367(11)	13	0.123
4	140.787(11)	19	-0.027	1812.998(9)	16	0.042	3423.439(8)	14	0.041
5	291.332(16)	17	-0.002	1958.444(14)	12	0.056	3563.932(16)	10	0.078
6	470.743(13)	16	-0.083	2131.798(13)	10	0.032	3731.351(19)	5	0.149
7	678.29(2)	11	0.002	2332.399(18)	8	-0.009	3925.07(2)	5	0.142
8	913.480(17)	8	-0.090	2559.538(16)	6	0.012	4144.38(2)	5	0.090
9	1175.21(2)	7	0.010	2812.46(3)	4	0.040	4388.72(3)	4	0.060
10	1462.81(2)	7	-0.130	3090.20(3)	3	0.090	4657.17(7)	3	-0.450
11	1775.19(3)	6	0.040	3391.99(6)	1	-0.420	4909.28(6)	1	0.080
12	2111.33(4)	4	-0.120	-			-		
13	2470.34(5)	3	0.080	-			-		
14	2851.05(7)	5	0.100	-			-		
15	3252.43(6)	1	0.080	-			-		

Table IV. (Continued.)

$(1s\sigma 2p\pi)c^3\Pi_u^-$

	v = 3			v = 4			v = 5		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	4727.022(9)	7	0.108	6226.366(19)	3	0.144	7667.225(13)	3	0.125
2	4782.112(9)	10	0.038	6279.454(11)	7	0.096	7718.429(10)	2	0.141
3	4864.307(13)	11	0.073	6358.796(14)	4	0.084	7794.944(13)	2	0.116
4	4973.456(10)	12	0.054	6464.117(13)	4	0.063	7896.475(10)	2	-0.035
5	5109.097(16)	9	0.093	6594.990(18)	4	0.050	-		
6	5270.732(15)	5	0.028	-			-		
7	5457.84(2)	5	-0.010	-			-		
8	5669.46(2)	4	0.030	-			-		
9	5905.35(3)	1	-0.020	-			-		
10	6164.52(3)	1	0.080	-			-		

	v = 6		
N	E_{nvN}	n_ν	ΔE
1	9050.44(2)	1	–
2	9099.750(17)	1	–
3	9173.43(2)	1	–
4	9271.249(18)	1	–

$(1s\sigma 2p\pi)c^3\Pi_u^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	-132.586(12)	22	-0.004	1548.813(9)	16	0.017	3168.273(7)	13	0.037
2	-71.584(14)	26	0.014	1607.790(12)	19	0.040	3225.247(10)	17	0.123
3	19.662(11)	28	-0.032	1695.990(8)	21	0.040	3310.490(9)	16	0.030
4	140.727(15)	27	-0.026	1813.023(13)	18	0.047	3423.541(11)	14	0.079
5	291.217(12)	24	-0.087	1958.482(10)	18	0.038	3564.085(8)	14	0.095
6	470.542(16)	19	-0.022	2131.814(15)	14	0.016	3731.563(12)	8	0.057
7	678.114(15)	15	-0.094	2332.393(14)	9	-0.003	3925.279(18)	9	0.051
8	913.12(2)	10	0.022	2559.53(2)	5	0.060	4144.65(2)	4	0.140
9	1174.80(2)	8	-0.120	2812.35(2)	5	0.030	4388.78(6)	3	0.200
10	1462.24(2)	5	0.010	3090.18(6)	2	-0.330	4657.07(4)	5	0.080
11	1774.48(3)	6	-0.170	3345.84(6)	2	0.110	-		
12	2110.45(4)	4	0.010	-			-		
13	2469.04(7)	3	0.120	-			-		
14	2849.68(6)	2	0.080	-			-		
15	3250.67(8)	2	0.100	-			-		

Table IV. (Continued.)

$(1s\sigma 2p\pi)c^3\Pi_u^+$									
	v = 3			v = 4			v = 5		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	4727.078(7)	14	0.052	6226.429(10)	7	0.081	7667.297(13)	2	0.053
2	4782.081(12)	16	0.109	6279.553(10)	9	0.007	7718.544(13)	2	0.016
3	4864.446(8)	15	0.014	6359.007(11)	7	0.133	7795.177(10)	1	-
4	4973.606(14)	9	0.084	6464.401(14)	8	0.079	7896.833(13)	1	-
5	5109.368(10)	10	0.092	6595.379(13)	6	-0.009	8023.166(10)	1	-
6	5271.03(2)	5	0.110	6751.361(18)	4	0.059	-		
7	5458.145(18)	7	0.035	-			-		
8	5670.02(3)	5	-0.030	-			-		
9	5905.61(2)	3	0.070	-			-		

	v = 6			v = 7		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	9050.47(2)	1	−	10376.62(2)	1	−
2	9099.88(2)	1	−	10424.20(2)	1	−
3	9173.710(17)	1	−	10495.262(18)	1	−
4	9271.63(2)	1	−	10589.37(2)	1	−
5	9393.409(18)	1	−	10706.613(18)	1	−

$(1s\sigma 3s\sigma)h^3\Sigma_g^+$									
	v = 2			v = 3			v = 4		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	20071.893(17)	1	0.037	21588.238(10)	1	0.052	23042.197(13)	2	0.083
1	20101.320(16)	2	0.100	21615.731(12)	2	0.099	23068.46(2)	2	0.143
2	20160.107(13)	2	0.053	21670.798(8)	3	0.032	23120.982(10)	4	0.088
3	20247.847(15)	3	0.113	21752.929(13)	3	0.061	23199.357(13)	4	0.083
4	20364.077(13)	2	0.063	21861.839(9)	3	0.051	23303.289(13)	3	-0.009
5	-			-			23432.221(16)	3	0.059

Table IV. (Continued.)

$(1s\sigma3p\sigma)e^3\Sigma_u^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	11649.190(14)	5	-0.010	13137.502(10)	6	-0.012	14558.258(12)	6	0.002
1	11676.174(8)	12	-0.004	13163.431(6)	12	-0.011	14583.137(7)	14	0.003
2	11730.037(13)	12	-0.007	13215.170(9)	15	-0.010	14632.770(11)	13	0.000
3	11810.600(9)	17	-0.020	13292.570(7)	16	-0.010	14707.003(8)	15	-0.003
4	11917.524(12)	12	-0.004	13395.293(10)	11	-0.003	14805.515(11)	14	0.015
5	12050.485(9)	12	0.005	13523.013(7)	12	0.007	14927.986(8)	14	-0.006
6	12208.941(13)	8	-0.021	13675.191(10)	12	-0.001	15073.923(11)	12	-0.013
7	12392.375(9)	8	0.005	13851.369(8)	11	0.011	15242.814(8)	13	0.016
8	12600.117(13)	6	-0.017	14050.868(11)	9	-0.018	15434.079(13)	8	-0.039
9	12831.480(11)	5	-0.030	14272.987(8)	10	0.003	15646.946(10)	8	0.024
10	13085.653(16)	5	-0.043	14517.021(13)	6	-0.021	15880.745(15)	5	0.005
11	13361.853(12)	4	-0.013	14782.091(10)	5	-0.001	16134.676(15)	3	0.044
12	13659.139(19)	4	-0.019	15067.365(16)	3	0.015	16407.97(10)	2	-0.060
13	13976.603(17)	3	-0.043	15371.957(16)	5	-0.007	16696.56(5)	2	-0.030
14	14313.27(2)	3	0.000	15694.80(2)	4	0.030	17003.73(4)	2	0.010
15	14668.18(3)	2	-0.050	16035.06(3)	4	0.050	17326.48(5)	2	0.070
16	15040.49(3)	2	0.010	16391.90(3)	4	0.010	17675.65(3)	1	0.010
17	15428.58(4)	2	0.050	16763.73(4)	4	0.060	-		
18	15832.13(3)	2	0.020	17150.23(4)	2	0.040	-		
19	16249.09(4)	2	0.060	17549.32(5)	1	0.080	-		

	v = 3			v = 4			v = 5		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	15911.178(10)	7	-0.018	17195.132(10)	10	-0.002	18408.097(10)	7	-0.007
1	15934.967(6)	19	-0.057	17217.850(6)	17	0.000	18429.790(6)	16	-0.010
2	15982.471(9)	20	-0.001	17263.194(8)	17	-0.004	18473.084(9)	15	-0.006
3	16053.509(6)	19	-0.009	17331.018(6)	19	0.002	18537.934(7)	14	-0.034
4	16147.768(9)	19	0.012	17420.989(9)	18	-0.008	18624.360(9)	14	0.010
5	16264.946(6)	18	-0.006	17532.827(6)	17	-0.007	18734.130(6)	14	-0.010
6	16404.556(10)	14	-0.006	17666.052(10)	15	-0.002	18849.669(10)	13	0.011
7	16566.118(7)	14	-0.018	17820.186(7)	13	0.004	18999.130(7)	7	0.020
8	16748.997(11)	10	-0.007	17994.639(11)	12	-0.008	-		
9	16952.546(8)	9	0.014	18188.800(8)	12	0.000	-		
10	17176.041(12)	3	-0.011	18402.006(14)	5	-0.036	-		
11	17418.674(9)	4	0.016	18633.901(11)	3	-0.001	-		
12	17679.65(2)	1	0.010	-			-		
13	17958.06(3)	1	0.030	-			-		

Table IV. (Continued.)

$(1s\sigma 3p\sigma)e^3\Sigma_u^+$

	v = 6			v = 7			v = 8		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	19546.641(11)	7	-0.001	20605.338(10)	8	-0.008	21575.310(13)	9	-0.030
1	19567.047(7)	16	-0.007	20624.515(6)	15	-0.015	21593.153(7)	19	-0.013
2	19607.728(10)	16	-0.008	20662.787(9)	16	-0.017	21628.745(10)	19	-0.005
3	19668.569(7)	16	0.001	20720.289(6)	14	-0.009	21681.957(7)	20	-0.007
4	19749.319(10)	16	-0.019	20795.613(9)	12	-0.023	21752.568(11)	18	-0.038
5	19849.642(8)	15	-0.012	20889.773(6)	14	-0.003	21840.510(8)	16	-0.010
6	19969.098(11)	14	-0.028	21001.748(10)	9	-0.008	21946.349(12)	7	-0.029
7	20107.185(7)	12	0.005	21131.071(7)	9	-0.001	22074.088(14)	2	0.002
8	20263.354(13)	8	0.006	-			-		
9	-			21440.901(17)	1	0.029	-		

	v = 9			v = 10		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	22442.451(11)	8	-0.011	23181.37(2)	4	0.004
1	22458.482(7)	17	-0.002	23195.302(13)	11	-0.022
2	22490.446(10)	16	-0.006	23223.064(16)	10	-0.024
3	22538.192(7)	18	-0.002	23264.357(13)	11	-0.017
4	22601.388(10)	18	-0.038	23318.792(19)	6	-0.042
5	22679.660(7)	14	-0.040	23385.89(2)	3	-0.030
6	22772.422(11)	10	-0.022	-		
7	22879.133(11)	3	0.037	-		

$(1s\sigma 3p\pi)d^3\Pi_u^-$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	16695.750(14)	4	-0.010	18308.303(11)	7	-0.033	19857.067(10)	8	0.003
2	16755.305(11)	5	-0.005	18365.680(8)	5	-0.010	19912.363(7)	8	-0.023
3	16844.286(15)	4	-0.006	18451.471(11)	7	-0.001	19995.024(10)	8	-0.014
4	16962.446(11)	4	-0.006	18565.354(8)	7	-0.004	20104.741(7)	8	-0.011
5	17109.251(16)	4	-0.011	18706.856(13)	6	-0.006	20241.050(11)	6	0.010
6	17284.197(12)	4	-0.007	18875.473(10)	5	0.007	20403.478(8)	7	0.012
7	17486.578(16)	3	-0.018	19070.503(14)	4	-0.003	20591.353(12)	4	-0.003
8	17715.701(14)	3	-0.001	19291.294(12)	3	0.016	20804.025(10)	4	0.015
9	17970.749(17)	2	-0.029	19537.033(16)	3	-0.003	21040.667(13)	4	0.003
10	18250.742(14)	2	0.008	19806.86(4)	2	0.010	21300.532(11)	3	-0.002
11	-			20099.80(2)	2	-0.001	-		
12	18881.99(2)	1	-0.040	-			21882.31(6)	1	-0.010
13	19231.13(2)	1	-0.020	20751.23(3)	1	-0.010	-		
14	19601.19(2)	1	-0.050	21107.62(3)	1	-0.050	-		
15	19991.19(3)	1	0.010	-			-		
16	20399.60(4)	1	0.070	-			-		
17	20825.83(4)	1	0.010	-			-		
18	21267.81(4)	1	0.080	-			-		

Table IV. (Continued.)

$(1s\sigma 3p\pi)d^3\Pi_u^-$

	v = 3			v = 4			v = 5		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	21343.645(12)	9	0.005	22769.442(12)	8	-0.012	24135.655(10)	10	0.005
2	21396.902(9)	8	-0.002	22820.678(8)	8	0.002	24184.948(7)	10	-0.008
3	21476.477(12)	8	-0.007	22897.296(12)	7	-0.006	24258.610(10)	9	0.000
4	21582.138(9)	8	-0.008	22998.963(8)	8	-0.013	24356.367(7)	9	-0.017
5	21713.423(13)	7	-0.013	23125.264(12)	8	-0.004	24477.809(11)	7	-0.029
6	21869.803(9)	8	0.057	23275.747(9)	7	0.003	24622.462(9)	9	-0.012
7	22050.667(15)	4	-0.007	23449.760(17)	5	-0.020	24789.747(12)	7	-0.007
8	22255.379(12)	4	0.011	23646.709(11)	6	-0.009	24979.060(12)	6	-0.010
9	22483.185(19)	2	-0.035	23865.26(2)	2	-0.005	25188.91(2)	3	0.010
10	22733.258(15)	3	0.002	24106.31(3)	2	0.020	25420.32(3)	2	0.040
11	23004.67(5)	2	-0.050	24367.28(6)	1	-0.030	-		
12	23293.59(6)	2	-0.010	24645.28(7)	1	-0.010	-		
13	23603.42(6)	1	0.030	-			-		
14	23930.61(6)	1	0.090	-			-		

	v = 6			v = 7			v = 8		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	25443.364(10)	9	-0.004	26693.448(12)	6	-0.008	27886.595(13)	6	-0.005
2	25490.706(7)	9	-0.006	26738.891(9)	6	-0.021	27930.152(9)	6	0.008
3	25561.485(11)	8	-0.005	26806.814(12)	6	-0.014	27995.235(13)	6	0.035
4	25655.396(7)	8	-0.006	26896.934(9)	5	-0.054	28081.598(10)	6	-0.028
5	25772.049(11)	9	-0.019	27008.83(2)	5	-0.026	28188.852(15)	6	-0.072
6	25910.990(8)	7	-0.020	27142.454(10)	3	-0.024	28316.512(10)	5	0.008
7	26071.762(19)	3	-0.082	27296.310(15)	2	-0.070	-		
8	26253.93(3)	2	-0.080	27470.81(4)	1	-0.060	-		

	v = 9			v = 10		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	29023.33(5)	4	-0.040	30103.98(4)	2	-0.050
2	29064.97(4)	4	0.010	30143.82(4)	2	-0.040
3	29127.43(6)	2	-0.170	30203.34(4)	2	-0.020
4	29209.88(5)	2	-0.170	30282.22(4)	2	-0.090
5	29313.31(7)	1	-0.050	30380.15(5)	1	0.020

Table IV. (Continued.)

$(1s\sigma 3p\pi)d^3\Pi_u^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	16695.884(8)	8	-0.014	18308.374(7)	12	0.006	19857.301(6)	15	-0.011
2	16755.611(11)	8	-0.011	18365.854(9)	14	-0.004	19912.998(10)	12	0.002
3	16844.912(9)	8	-0.002	18451.709(7)	13	-0.019	19996.263(6)	16	-0.013
4	16963.424(13)	5	-0.004	18565.166(10)	13	0.004	20106.670(9)	14	0.000
5	17110.685(9)	4	-0.005	18703.797(7)	12	-0.017	20243.786(7)	12	-0.006
6	17286.063(13)	4	-0.013	18884.047(15)	3	-0.007	20407.009(11)	7	0.001
7	17488.918(10)	4	0.002	19076.671(10)	4	0.009	20595.676(8)	6	0.004
8	17718.453(14)	4	-0.023	19297.282(14)	4	-0.002	20809.051(12)	5	-0.011
9	17973.850(12)	3	-0.030	19543.237(11)	3	0.023	21046.331(10)	4	-0.001
10	18254.078(18)	3	-0.048	-			21306.503(13)	3	-0.023
11	18557.648(15)	2	-0.078	-			21588.485(18)	1	0.015
12	18885.46(2)	1	-0.050	-			21891.41(3)	1	-0.010

	v = 3			v = 4		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	21343.795(7)	15	-0.005	22769.695(7)	14	-0.015
2	21397.294(11)	14	0.006	22821.398(10)	15	0.002
3	21477.206(7)	16	0.004	22898.632(7)	15	-0.012
4	21583.081(11)	14	-0.001	23000.957(10)	16	-0.007
5	21714.214(8)	14	0.006	23127.895(7)	15	-0.005
6	21868.935(14)	5	-0.025	23278.629(11)	14	0.001
7	22046.649(17)	1	-0.009	23451.647(9)	11	0.003

$(1s\sigma 3d\sigma)g^3\Sigma_g^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	16716.76(3)	2	0.040	18225.643(18)	1	0.017	19649.58(3)	2	0.030
1	16731.26(2)	5	0.009	18242.564(13)	6	0.046	19662.30(2)	4	0.070
2	16761.132(14)	9	-0.022	18269.116(9)	9	0.034	19690.525(19)	6	0.045
3	16809.506(19)	7	-0.006	18315.063(14)	8	0.037	19737.40(2)	5	0.120
4	16880.015(17)	6	-0.005	18383.349(10)	8	0.041	19805.556(18)	6	0.054
5	16974.92(2)	4	-0.030	18475.553(13)	8	0.027	19896.30(2)	6	0.053
6	17095.52(2)	4	-0.060	18592.497(12)	7	-0.007	20010.457(10)	6	0.083
7	17242.11(2)	4	-0.001	18734.375(16)	4	0.025	20148.302(14)	5	0.048
8	17414.75(2)	3	-0.100	18901.123(13)	3	-0.003	20309.845(11)	3	-0.015
9	17612.97(3)	2	0.020	19093.108(17)	1		20494.868(17)	3	0.092
10	17836.31(2)	3	-0.130	19309.527(17)	1		20702.83(7)	2	–
11	18084.04(3)	2	0.010	-			20933.73(6)	1	–
12	18355.33(3)	2	-0.180	-			-		
13	18649.99(4)	2	0.010	-			-		
14	18964.55(7)	1	–	-			-		
15	19300.83(6)	1	–	-			-		
16	19656.91(8)	1	–	-			-		

Table IV. (Continued.)

$(1s\sigma 3d\sigma)g^3\Sigma_g^+$

	v = 3			v = 4		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	20982.138(17)	1	0.052	-		
1	20996.599(14)	3	0.091	-		
2	21027.241(9)	6	0.029	22276.495(14)	3	0.085
3	21075.984(15)	6	0.156	22327.149(19)	2	0.001
4	21144.762(10)	6	0.038	22397.125(17)	2	0.125
5	21234.849(15)	4	0.071	22487.30(2)	1	0.079
6	21347.112(15)	3	0.108	22598.58(2)	1	-0.010
7	21481.78(5)	2	0.070	-		
8	21639.07(3)	1	0.030	-		
9	21818.86(3)	1	-0.030	-		
10	22020.93(3)	1	0.070	-		

$(1s\sigma 3d\pi)i^3\Pi_g^-$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	16968.914(17)	4	-0.004	18497.025(19)	5	0.025	19952.756(14)	6	0.034
2	17017.47(2)	5	-0.032	18545.33(2)	9	0.076	20000.436(15)	9	0.124
3	17091.044(17)	5	-0.014	18618.163(16)	8	0.017	20072.116(12)	8	0.054
4	17190.22(2)	5	0.007	18715.65(2)	7	0.074	20167.775(15)	7	0.055
5	17315.208(16)	4	-0.068	18838.130(16)	7	0.020	20287.31(2)	4	0.190
6	17466.29(2)	5	-0.034	18985.45(2)	5	0.024	20430.99(3)	2	0.110
7	17643.211(17)	4	-0.091	19157.50(2)	4	0.010	20598.47(4)	2	0.010
8	17845.71(2)	4	-0.000	19353.99(2)	4	0.030	20789.05(7)	1	0.060
9	18073.46(2)	4	-0.120	19574.38(2)	3	0.010	21002.86(6)	2	-0.500
10	18325.64(3)	3	0.010	19818.25(5)	1	0.040	-		
11	18601.48(3)	3	-0.140	20084.73(5)	2	0.110	-		
12	18900.26(4)	3	0.060	-			-		
13	19220.93(6)	2	-0.210	-			-		
14	19562.52(5)	1	0.080	-			-		
15	19923.94(7)	1	—	-			-		

	v = 3			v = 4		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	21335.02(2)	2	0.050	22626.81(3)	2	0.140
2	21381.83(4)	2	0.130	22689.88(4)	1	0.100
3	21452.060(17)	3	0.030	22755.33(4)	1	0.120
4	21545.60(2)	2	0.078	22846.55(4)	1	0.070
5	21662.35(2)	2	0.070	-		
6	21802.26(3)	3	-0.060	-		
7	21964.76(2)	3	0.030	-		
8	22148.61(4)	1	-0.030	-		
9	22351.80(3)	1	0.020	-		

Table IV. (Continued.)

$(1s\sigma 3d\pi)i^3\Pi_g^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	16998.00(2)	4	0.024	18539.50(2)	5	0.040	-		
2	17086.474(17)	5	-0.014	18617.862(19)	6	0.008	20033.06(2)	5	0.070
3	17202.627(19)	5	-0.007	18725.790(19)	7	0.010	20130.70(3)	3	0.080
4	17343.627(15)	6	-0.047	18860.377(15)	7	0.033	20254.70(3)	5	0.040
5	17508.18(2)	4	-0.026	19019.62(2)	7	0.048	20403.22(4)	3	-0.030
6	17695.856(15)	5	-0.086	19202.388(17)	7	-0.018	20597.14(5)	1	0.050
7	17906.63(2)	4	-0.011	19407.97(2)	6	-0.044	20795.15(5)	1	0.140
8	18140.58(2)	3	-0.110	19635.73(2)	5	0.030	20984.82(5)	1	0.050
9	18397.46(2)	3	0.010	-			21258.76(6)	1	-
10	18676.88(5)	2	0.000	-			-		
11	18978.67(4)	1	0.040	-			-		

	v = 3			v = 4		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	21344.541(12)	2	0.059	22632.03(5)	1	0.030
2	21408.795(16)	3	0.025	22704.67(5)	1	0.150
3	21501.76(2)	2	0.096	22791.80(3)	2	0.060
4	21621.287(18)	3	0.103	22902.73(5)	1	0.010
5	21765.15(2)	2	0.090	23037.01(4)	1	0.080
6	21932.05(3)	1	0.060	-		
7	22120.72(5)	2	0.060	-		

$(1s\sigma 3d\delta)j^3\Delta_g^-$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
2	17401.30(2)	3	-0.011	18988.127(15)	7	0.023	20511.143(13)	8	-0.003
3	17501.830(13)	5	-0.030	19082.632(11)	9	0.008	20599.883(9)	7	0.047
4	17633.75(2)	3	-0.011	19207.051(15)	8	0.039	20717.119(14)	6	0.091
5	17795.867(14)	4	-0.117	19360.402(16)	6	-0.002	20862.015(15)	5	0.085
6	17986.81(2)	3	-0.010	19541.628(18)	6	0.032	21033.45(2)	4	0.062
7	18205.55(2)	3	-0.090	19749.568(17)	4	0.012	21230.52(2)	3	0.060
8	18450.74(2)	3	0.000	19983.01(3)	2	-0.010	21452.03(2)	3	0.130
9	18721.33(2)	3	-0.110	20240.85(2)	3	0.010	21691.00(8)	1	-0.450
10	19016.08(3)	3	0.020	20522.00(6)	3	-0.420	21963.82(5)	1	0.080
11	19333.82(3)	2	-0.150	20779.34(6)	1	0.110	-		
12	19673.28(4)	2	0.050	-			-		
13	20033.26(6)	3	0.100	-			-		
14	20413.03(5)	3	0.080	-			-		
15	20810.64(7)	2	0.100	-			-		

Table IV. (Continued.)

$(1s\sigma 3d\delta)j^3\Delta_g^-$

	v = 3			v = 4			v = 5		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
2	21971.433(16)	4	0.087	23370.57(3)	3	0.070	24709.17(5)	2	0.070
3	22054.903(15)	3	0.087	23448.57(3)	3	0.090	-		
4	22165.210(16)	4	0.080	23551.78(4)	2	0.060	-		
5	22301.619(15)	2	0.041	23679.34(4)	2	0.030	-		
6	22463.39(2)	2	0.040	23830.38(4)	2	0.060	-		
7	22649.128(18)	3	0.032	-			-		
8	22858.24(3)	3	-0.020	-			-		
9	23089.12(2)	3	0.060	-			-		

$(1s\sigma 3d\delta)j^3\Delta_g^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
2	17401.988(16)	5	-0.028	18988.476(15)	6	0.034			
3	17504.77(2)	4	-0.009	19084.110(17)	6	0.031	20600.596(17)	6	0.084
4	17641.516(16)	4	-0.046	19211.121(14)	6	0.009	20719.229(13)	6	0.051
5	17811.24(2)	4	-0.021	19368.829(19)	5	0.041	20866.399(17)	6	0.051
6	18012.486(19)	4	-0.086	19556.203(17)	4	-0.003	21041.275(15)	6	0.085
7	18243.37(2)	4	0.011	19771.96(2)	3	0.060	21242.90(2)	3	0.135
8	18502.08(2)	3	-0.100	20014.53(2)	2	-0.020	21469.95(2)	3	0.070
9	18786.62(2)	3	0.020	20282.40(6)	2	-0.140	21721.25(4)	2	0.060
10	19095.39(2)	3	-0.130	20573.72(3)	2	-0.010	21963.93(6)	1	0.180
11	19426.70(4)	2	0.070	-			22251.87(5)	2	0.060
12	19778.99(6)	2	–	-			-		
14	20542.39(7)	1	–	-			-		

	v = 3		
N	E_{nvN}	n_ν	ΔE
3	22054.98(2)	1	0.219
4	22166.237(14)	2	0.073
5	22303.73(2)	2	0.102
6	22467.105(15)	3	0.045
7	22655.13(3)	2	-0.020
8	22864.05(2)	2	0.040

Table IV. (Continued.)

$(1s\sigma 4p\sigma) f^3\Sigma_u^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	20546.04(3)	2	-0.010	22098.279(15)	3	-0.019	23584.958(15)	3	-0.008
1	20574.22(2)	3	0.000	22125.052(8)	6	-0.002	23610.648(8)	8	-0.008
2	20630.49(2)	3	-0.020	22178.513(12)	6	0.007	23661.968(13)	8	-0.012
3	20714.33(2)	4	-0.010	22258.589(10)	6	0.011	23738.768(9)	8	-0.008
4	20826.53(3)	3	-0.020	22364.982(14)	4	-0.002	-		
5	20965.48(3)	2	-0.020	22498.24(2)	1	0.000	-		
6	21132.93(3)	1	-0.020	-			-		

$(1s\sigma 4p\pi) k^3\Pi_u^-$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	22352.55(2)	2	-0.010	23944.24(2)	3	-0.010	25471.756(11)	3	0.004
2	22411.58(3)	1	-0.010	24001.12(2)	3	-0.000	25526.500(8)	3	0.000
3	22499.86(2)	2	0.000	24086.14(2)	3	0.020	25608.353(12)	3	0.007
4	22617.030(18)	2	-0.010	24198.95(2)	3	0.040	25717.067(8)	3	0.013
5	22762.67(2)	2	-0.017	24339.22(2)	2	0.010	25851.95(2)	2	0.012
6	22936.095(18)	2	-0.005	24506.28(2)	3	0.040	26012.834(17)	1	0.026
7	23136.84(2)	2	-0.009	24699.52(3)	2	-0.010	26218.48(2)	1	0.021
8	23363.93(4)	2	0.070	24918.30(3)	2	-0.010	26428.416(17)	1	0.034
9	23616.73(3)	1	-0.040	-			-		
10	23893.28(3)	1	-0.020	-			-		

	v = 3			v = 4			v = 5		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	26936.564(16)	3	0.016	28340.25(2)	3	0.006	29684.04(2)	4	0.050
2	26989.264(13)	3	0.016	28390.90(2)	2	-0.000	29732.66(2)	4	0.020
3	27067.994(16)	3	0.026	28466.60(2)	3	0.014	29805.36(2)	3	0.010
4	27172.580(13)	3	0.020	28567.193(17)	3	0.017	29902.58(2)	3	-0.080
5	27302.439(16)	3	0.011	28691.97(2)	3	0.031	30022.09(4)	2	-0.020
6	27457.110(17)	3	0.090	28840.755(17)	3	0.025	30164.82(3)	2	0.020
7	27645.91(2)	1	-0.010	29012.29(15)	2	0.110	-		

	v = 6		
N	E_{nvN}	n_ν	ΔE
1	30969.193(15)	4	-0.017
2	31015.925(12)	4	-0.015
3	-		
4	31178.648(15)	3	0.018

Table IV. (Continued.)

$(1s\sigma 4p\pi)k^3\Pi_u^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	22353.203(13)	4	-0.003	23944.921(16)	5	-0.011	25472.366(8)	5	-0.026
2	22413.471(18)	3	-0.011	24003.076(18)	6	0.004	25528.246(10)	6	0.004
3	22503.474(14)	4	-0.004	24089.428(16)	6	0.012	25611.819(8)	5	0.041
4	22622.76(2)	3	-0.019	24205.036(19)	6	-0.006	25723.05(8)	2	-0.030
5	22770.738(18)	2	-0.018	24347.785(15)	6	-0.005	25859.729(12)	3	0.051
6	22946.58(2)	2	-0.010	-			-		
7	23149.81(4)	2	0.070	-			-		

	v = 3			v = 4			v = 5		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	26937.058(10)	6	0.002	28340.580(13)	6	0.020	29684.119(15)	8	0.011
2	26990.667(16)	3	0.003	28391.843(16)	6	0.027	29734.57(3)	2	0.030
3	27070.857(13)	4	0.013	28468.587(13)	6	0.023	29806.15(3)	3	0.010
4	27176.90(2)	1	0.010	28570.161(17)	6	-0.011	29902.86(2)	3	0.020
5	-			28696.175(14)	6	0.035	-		

$(1s\sigma 4d\sigma)p^3\Sigma_g^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
0	22356.94(8)	1	0.000	-			-		
1	22365.59(4)	4	0.010	-			-		
2	22375.62(3)	7	0.010	23923.480(12)	5	-0.030	25400.60(2)	8	0.000
3	22408.68(4)	5	-0.000	23956.312(15)	5	0.068	25433.81(3)	5	0.150
4	22469.00(3)	6	-0.080	24015.191(12)	4	0.019	25491.71(4)	4	0.020
5	22557.12(5)	3	0.020	24100.784(16)	4	0.016	25574.82(5)	2	0.080
6	22673.57(6)	3	-0.170	24213.149(16)	3	0.041	25683.53(6)	1	0.100
7	22817.46(5)	2	-0.010	24352.05(2)	1	0.016	25817.57(9)	1	0.060
8	22988.92(11)	1	-0.060	24517.13(3)	1	0.010	25976.53(7)	1	0.050
9	23186.92(8)	1	0.020	24707.83(3)	1	0.060			
10	23410.94(8)	1	-0.120	-			-		

	v = 3			v = 4		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
2	26807.780(13)	2	0.050	28145.08(2)	2	0.090
3	26841.719(18)	2	0.091	28180.05(3)	1	0.010
4	26898.831(14)	2	0.039	28236.55(3)	1	0.130
5	26979.751(18)	2	0.089	28315.59(3)	1	0.080
6	27084.998(18)	1	0.092	28417.54(3)	1	-0.010
7	27214.33(3)	1	0.110	28542.28(3)	1	0.060
8	27367.55(2)	1	0.030	-		

Table IV. (Continued.)

	$(1s\sigma 4d\pi)r^3\Pi_g^-$			$(1s\sigma 4d\pi)r^3\Pi_g^+$			$(1s\sigma 4d\delta)s^3\Delta_g^-$		
	v = 0			v = 0			v = 0		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	22489.55(4)	3	0.000	-			-		
2	22517.93(3)	3	-0.000	22603.44(3)	4	-0.030	22673.64(3)	3	0.040
3	22576.61(4)	3	-0.020	22693.53(3)	4	0.000	22788.44(2)	3	-0.030
4	22664.80(3)	3	-0.020	22810.90(3)	3	-0.060	22931.97(3)	3	-0.030
5	22781.49(4)	3	-0.070	22955.91(3)	4	-0.030	23102.90(4)	1	-0.090
6	22926.01(3)	3	-0.010	23128.28(3)	3	-0.080	-		
7	23098.12(3)	3	-0.070	23327.58(3)	3	-0.000	-		

$(1s\sigma 5p\pi)n^3\Pi_u^-$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	24929.62(3)	2	-0.010	26514.60(2)	3	-0.008	28035.75(2)	3	-0.072
2	24988.47(3)	2	-0.020	26571.256(19)	3	-0.006	28090.321(15)	3	-0.031
3	25076.46(3)	2	-0.010	26655.98(2)	3	0.005	28171.907(19)	3	-0.037
4	25193.30(3)	2	-0.020	26768.478(19)	3	-0.018	28280.175(16)	3	0.005
5	25338.45(3)	2	-0.020	26907.97(6)	2	0.130	28414.75(4)	2	-0.070
6	25511.33(4)	2	-0.030	-			28575.12(4)	1	0.010
7	25711.32(4)	1	-0.020	-			-		
8	25937.90(4)	1	-0.010	-			-		

	v = 3		
N	E_{nvN}	n_ν	ΔE
1	29495.648(12)	3	-0.048
2	29548.272(9)	3	-0.022
3	29626.879(12)	2	0.011
4	29731.222(9)	3	-0.002

$(1s\sigma 5p\pi)n^3\Pi_u^+$

	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	24930.13(2)	4	-0.010	26514.93(2)	4	-0.010	28035.803(12)	4	0.007
2	24990.09(2)	4	0.010	26572.23(2)	4	-0.010	28090.59(2)	4	-0.005
3	25079.62(2)	4	0.020	26657.93(2)	4	0.010	28172.574(12)	4	-0.034
4	25198.29(3)	4	0.010	26771.55(2)	4	0.000	28281.220(15)	4	-0.010
5	25345.53(4)	1	-0.010	26912.57(3)	2	0.080	28416.24(8)	2	-0.010

Table IV. (Continued.)

$(1s\sigma5d\sigma)q^3\Sigma_g^+$			
	v = 0		
N	E_{nvN}	n_ν	ΔE
2	24936.06(2)	2	-0.010
3	24963.90(2)	2	-0.040
4	25021.59(3)	1	-0.030
5	25108.37(3)	1	-0.030
6	25223.95(4)	1	-0.090
7	25367.75(3)	1	-0.020
8	25539.29(3)	1	-0.090
9	25737.64(3)	1	0.020
10	25962.35(3)	1	-0.120
11	26212.38(3)	1	0.010
12	26486.88(4)	1	-0.170

				$(1s\sigma6p\pi)u^3\Pi_u^-$					
	v = 0			v = 1			v = 2		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	26316.19(5)	1	-0.010	27895.776(19)	3	-0.036	29409.35(2)	3	0.010
2	26374.99(5)	1	-0.010	27952.365(15)	3	-0.025	29463.69(2)	3	-0.010
3	26462.94(5)	1	-0.010	28036.928(19)	3	0.022	29544.93(2)	3	0.040
4	26579.45(5)	1	-0.010	28149.142(15)	3	-0.022	29652.73(2)	2	0.120
5	26724.32(5)	1	-0.020	28288.526(19)	2	-0.006	29786.57(2)	1	-0.000
6	-			28454.714(16)	2	-0.024	29946.02(3)	1	0.010

	$(1s\sigma6p\pi)u^3\Pi_u^+$			$(1s\sigma6d\sigma)^3\Sigma_g^+$		
	v = 0			v = 0		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	27896.78(3)	2	-0.010	-		
2	-			26311.38(7)	1	0.000
3	-			26337.96(5)	1	0.010
4	-			26395.19(5)	1	-0.030
5	-			26481.91(7)	1	-0.030
6	-			26597.61(5)	1	-0.090
7	-			26739.76(5)	1	-0.020

Table IV. (Continued.)

	$(1s\sigma 7p\pi)^3\Pi_u^-$						$(1s\sigma 7d\pi)^3\Pi_u^-$		
	v = 0			v = 1			v = 0		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	27149.29(5)	1	-0.010	28727.59(5)	1	-0.010	-		
2	27207.37(5)	1	-0.010	28784.23(5)	1	-0.010	27136.91(5)	1	0.000
3	-			28868.69(5)	1	0.000	27163.62(5)	1	0.010
4	27411.74(5)	1	-0.010	28980.94(5)	1	-0.010	27221.01(5)	1	-0.030
5	27556.07(5)	1	-0.020	29120.28(5)	1	0.000	27307.97(5)	1	-0.030
6	-			-			27423.94(7)	1	-0.090
6	-			-			-		

	$(1s\sigma 8p\pi)^3\Pi_u^-$			$(1s\sigma 8d\sigma)^3\Sigma_g^+$		
	v = 0			v = 0		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
1	27686.17(5)	1	-0.010	27669.56(5)	1	-0.000
2	27744.93(5)	1	-0.010	27696.69(5)	1	0.010
3	27832.64(5)	1	-0.010	27754.51(5)	1	-0.030
4	27949.01(5)	1	-0.010	27841.64(5)	1	-0.030
5	-			27957.80(5)	1	-0.090
6	-			28102.62(5)	1	-0.020

	$(1s\sigma 9p\pi)^3\Pi_u^-$			$(1s\sigma 9d\sigma)^3\Sigma_g^+$		
	v = 0			v = 0		
N	E_{nvN}	n_ν	ΔE	E_{nvN}	n_ν	ΔE
2	28054.07(5)	1	-0.010	28034.25(5)	1	0.000
3	28112.48(5)	1	-0.010	28061.78(5)	1	0.010
4	28200.41(5)	1	-0.010	28119.65(5)	1	-0.030
5	28316.73(5)	1	-0.010	28207.40(5)	1	-0.030
6	28460.86(5)	1	-0.020	28324.48(5)	1	-0.090